

INDUSTRIAL COMPONENT DATA

CD-HF 60X60 BU 3240595 PHOENIX CONTACT Cable duct

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD-HF 60X60 BU



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD-HF 60X60 BU
Catalog number	3240595
Category	Slotted cable trunking system
Minimum order	18 Pcs
Document ID	EO-2E3D8B5BB4
Generated	2026-08-03

Product Overview

Cable duct

Wiring channel for installation and installation in control cabinets, blue, halogen-free, top and bottom, width: 60 mm, height: 60 mm, length: 2000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240595

Packing unit 12 pc

Minimum order quantity 12 pc

Note Made to Order (non-returnable)

Catalog page Page 623 (C-3-2017)

GTIN 4046356630139

Weight per Piece (excluding packing) 796.000 g

Custom tariff number 39259020

Country of origin DE (Germany)

Dimensions

Length (b) 2000 mm

Width (a) 60 mm

Height (c) 60 mm

Diameter 60.00 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 90 °C

General

Color blue

5015

Components halogen-free

Flammability rating according to UL 94 V0

Material PC/ABS

Nominal cross section 2184 mm²

Standards and Regulations

Halogen-free yes

Connection in acc. with standard CSA

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027140602eCl@ss 4.127140602eCl@ss 5.027140602eCl@ss 5.127140600eCl@ss 6.027400700eCl@ss

7.027400703eCl@ss 8.027400703eCl@ss 9.027400703

ETIM 4.0EC000012ETIM 5.0EC000012ETIM 6.0EC000012

UNSPSC 6.0130101815UNSPSC 7.090130101815UNSPSC 1130101815UNSPSC 12.0130101815UNSPSC

13.239131712

ETIM for 3240595 Slotted cable trunking (EC000012)

Feature Name

Feature Value

Height (EF000040)

60 mm

Width (EF000008)

60 mm

Length (EF001438)

2000 mm

Distance of slots (EF005246)

6.5 mm

Slit width (EF005247)

6 mm

Type of side wall (EF000098)

Slotted

Halogen free (EF000025)

Yes

Self-extinguishing (EF000681)

No

Flexible (EF000083)

No

With cover (EF007965)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD-HF 60X60 BU with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.