

INDUSTRIAL COMPONENT DATA

CF CRIMPHANDY 0,75 1212464 PHOENIX CONTACT Electrical crimping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CF CRIMPHANDY 0,75



Manufacturer	PHOENIX CONTACT
MPN / Reference	CF CRIMPHANDY 0,75
Catalog number	1212464
Category	Stripping and crimping machine
Minimum order	1 Pcs
Document ID	EO-5D0DFBCCB5
Generated	2026-08-02

Product Overview

Electrical crimping tool

Battery-operated, mobile handheld equipment for machining 0.75 mm² tape ferrules with functional end, suitable for insulated PVC conductors (H05V-K), incl. battery, charger, CUTFOX 12 cable cutter, waste deflector 2, troubleshooting service tool and a 0.75 mm² dropout tape, packed in a robust case.

Mobile handheld device, battery-powered, for processing on-tape ferrules 0.75 mm² with functional end, suitable for PVC insulated conductors (H05V-K), incl. battery, charger, CUTFOX 12 cable cutter, waste guide plate 2, service tool for error correction, and one strip of ferrules 0.75 mm², packed in a robust case.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212464

Packing unit 1 pc

Catalog page Page 417 (C-3-2017)

GTIN 4046356589130

Weight per Piece (excluding packing) 1,463.000 g

Custom tariff number 84672920

Country of origin DE (Germany)

Dimensions

Length (b) 205 mm

Width (a) 43 mm

Height (c) 70 mm

Conductor diameter area (GRP) 1.9 mm ... 2.6 mm

Stripping length 10.8 mm

General

Color black

Compression Square crimp

Type of contact Ferrules

Power consumption 20 W

Conductor type PVC H05V-K

Insertion length minimum 32 mm

Weight 0.43 kg

Min. cross section 0.75 mm²

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 25;

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 10.0.117130101eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.117130100eCl@ss
6.017130100eCl@ss 7.017130101eCl@ss 8.017130101eCl@ss 9.017130101

ETIM 4.0EC000163ETIM 5.0EC002778ETIM 6.0EC002778

UNSPSC 6.0127112118UNSPSC 7.090127111518UNSPSC 1123171604UNSPSC 12.0127111518UNSPSC
13.227111518

ETIM for 1212464 Cable cutting and crimping tools (EC002778)

Feature Name

Feature Value

Adjustable conductor cross section (EF008548)

0.75 mm²

Type of drive (EF001422)

Electrical

Strip length (EF006824)

10.8 mm

Strip length adjustable (EF006222)

No

Width (EF000008)

43 mm

Height (EF000040)

70 mm

Depth (EF000049)

205 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CF CRIMPHANDY 0,75 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.