


INDUSTRIAL COMPONENT DATA

ME TBUS PST 1,5/ 5-3,81 2279033 PHOENIX CONTACT

Contact strip

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME TBUS PST 1,5/ 5-3,81



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME TBUS PST 1,5/ 5-3,81
Catalog number	2279033
Category	Printed circuit board connector
Minimum order	50 Pcs
Document ID	EO-6499BCB4BE
Generated	2026-08-04

Product Overview

Contact strip

Male connector for soldering on the printed circuit board, for contacting on the bus connector for symmetrical rails

Pin-Strip plug to be soldered into the DC board, to make contacts with the bus connector for support rail

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2279033

Packing unit 50 pc

Minimum order quantity 50 pc

Catalog page Page 684 (C-1-2013)

GTIN 4046356180573

Weight per Piece (excluding packing) 1.050 g

Custom tariff number 85366990

Country of origin DE (Germany)

General

Number of positions 5

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss 6.027180800eCl@ss
7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 3.0EC001031ETIM 4.0EC001031ETIM 5.0EC001031ETIM 6.0EC001031

UNSPSC 6.0130211810UNSPSC 7.090139121409UNSPSC 1139121409UNSPSC 12.0139121409UNSPSC
13.231261501

ETIM for 2279033 Connectors (EC002637)

Feature Name

Feature Value

Contact type (EF001587)

Pin

Modular spacing contacts (EF007326)

3.81 mm

Modular spacing connections (EF006827)

3.81 mm

Rated current In (EF008250)

6 A

Rated voltage (EF000228)

125 V

Rated surge voltage (EF002993)

2.5 kV

Over voltage category (EF006785)

III

Pollution degree (EF006786)

2

Type of electric connection (EF003961)

Other

Length pin (EF006825)

2.05 mm

Suitable for PCB thickness (EF007253)

1.8 mm

Material insulation body (EF007543)

Other

Housing colour (EF000136)

Black

Inflammability class of insulation material according to UL94 (EF002521)

V0

Operating temperature (EF002393)

-40 °C

Type of fastening (EF002442)

Other

Type of banding (EF007011)

Carton (for SMD)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME TBUS PST 1,5/ 5-3,81 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.