

INDUSTRIAL COMPONENT DATA

VS-PPC-J-1-RJ45-MNBK 1405183 PHOENIX CONTACT RJ45 coupling

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-PPC-J-1-RJ45-MNBK



Manufacturer	PHOENIX CONTACT
MPN / Reference	VS-PPC-J-1-RJ45-MNBK
Catalog number	1405183
Category	Fibre optic attenuator
Minimum order	1 Pcs
Document ID	EO-F0B7333E0F
Generated	2026-08-02

Product Overview

RJ45 coupling

Push-Pull RJ45 coupling, IP65, metal, CAT5e, with protective cover, color: nickel-plated

RJ45 push-pull coupling, IP65, metal, CAT5e, with protective cover, color: nickel-plated

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Field Device Connectors (FDC)**

Additional Product Information

Technical dataProduct propertiesProduct type Female insert

Type RJ45

Sensor type Ethernet

Number of positions 8

Connection profile RJ45

No. of cable outlets 1

Type RJ45

Shielded no

Cable outlet straight

Data management status

Article revision 13

Insulation characteristics

Overvoltage category III

Degree of pollution 2

Electrical propertiesRated voltage (III/3) 72 V (DC)

Rated surge voltage 0.8 kV

≥ 1 kV

Rated current 1 A

Nominal current I_N 0.5 A

Transmission medium Copper

Transmission characteristics (category) CAT5

Connection dataConnection technology

Connection method Coupling

DimensionsWidth 29 mm

Height 42 mm

Length 78.4 mm

Material specificationsColor silver

Flammability rating according to UL 94 V0

Housing material Metal

Housing surface material metal-plated

Contact material Copper alloy

Contact surface material Gold

Environmental and real-life conditionsAmbient conditions

Degree of protection IP65

Ambient temperature (operation) -40 °C ... 70 °C

ETIM for 1405183 Cable (EC003249)

Feature Name

Feature Value

Conductor surface (EF010804)

Other

Number of cores (EF001792)

8

Stranding (EF003802)

Other

Longitudinal water blocking cable (EF011011)

No

Radial water blocking cable (EF011012)

No

Suitable for underground installation (EF003689)

No

Protective sheath (EF001691)

None

Specification material outer sheath (EF011806)

Other

Low smoke according to EN IEC 61034-2 (EF003799)

No

Oil resistant according to EN IEC 60811-404 (EF009770)

No

Category (EF001619)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-PPC-J-1-RJ45-MNBK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.