

INDUSTRIAL COMPONENT DATA

CF 3000-2,5 120V 1205516 PHOENIX CONTACT Electrical crimping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CF 3000-2,5 120V



Manufacturer	PHOENIX CONTACT
MPN / Reference	CF 3000-2,5 120V
Catalog number	1205516
Category	Stripping and crimping machine
Minimum order	1 Pcs
Document ID	EO-8F0CF03D92
Generated	2026-08-02

Product Overview

Electrical crimping tool

Automatic crimping and peeling, construction of 120 V, for insulated toe caps as a material in 0.25 ... 2.5 mm², sleeve length 8 mm, incl. 0.5 retrofit sets... 2.5 mm²

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1205516

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 516 (C-3-2017)

GTIN 4017918129125

Weight per Piece (excluding packing) 15,620.000 g

Custom tariff number 84798100

Country of origin DE (Germany)

Dimensions

Length (b) 320 mm

Width (a) 165 mm

Height (c) 300 mm

Stripping length 11.5 mm

General

Compression trapezoidal

Type of contact Ferrules

Min. AWG, flexible, multi-strand 14

AWG max., flexible, multi-strand 24

Power consumption 80 W

Conductor type PVC

Test standard DIN 46228-4: 1990-09

Min. cross section 0.25 mm²

Max. cross section 2.5 mm²

AWG min 24

AWG max 14

Insertion length minimum 49 mm

Weight 12 kg

Min. cross section 0.5 mm²

Max. cross section 2.5 mm²

AWG min 24

AWG max 14

Standards and Regulations

Test standard DIN 46228-4: 1990-09

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 25;

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 10.0.1 17130101

eCl@ss 4.0 21040301

eCl@ss 4.1 21040301

eCl@ss 5.0 21040301

eCl@ss 5.1 17130100

eCl@ss 6.0 17130100

eCl@ss 7.0 17130101

eCl@ss 8.0 17130101

eCl@ss 9.0 17130101

ETIM

ETIM 2.0 EC001186

ETIM 3.0 EC001186

ETIM 4.0 EC001186

ETIM 5.0 EC002778

ETIM 6.0 EC002778

UNSPSC

UNSPSC 6.01 27112118

UNSPSC 7.0901 27111518

UNSPSC 11 23171604

UNSPSC 12.01 27111518

UNSPSC 13.2 27111518

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CF 3000-2,5 120V with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.