

INDUSTRIAL COMPONENT DATA

CUTFOX 16 VDE DB 1212789 PHOENIX CONTACT

Cable-cutting tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CUTFOX 16 VDE_DB



Manufacturer	PHOENIX CONTACT
MPN / Reference	CUTFOX 16 VDE_DB
Catalog number	1212789
Category	Cable shears
Minimum order	6 Pcs
Document ID	EO-6D528BF68B
Generated	2026-08-03

Product Overview

Cable-cutting tool

Cable cutter, precision cutter with macro-toothing, for copper and aluminium up to 50 mm², approved according to VDE 1000 V AC/ 1500 V DC, packaging type: with sales display stand (Backcard)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > TOOL fox**

Additional Product Information

Key Commercial Data

Orderkey 1212789

Packing unit 6 pc

GTIN 4046356994651

Weight per Piece (excluding packing) 208.400 g

Custom tariff number 82032000

Country of origin DE (Germany)

Dimensions

Length (b) 160 mm

General

Test standard DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5746

Max. cross section 50 mm²

Standards and Regulations

Test standard DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5746

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121044701eCl@ss 4.021040302eCl@ss 4.121040302eCl@ss 5.021040302eCl@ss 5.121040300eCl@ss 6.021049000eCl@ss 7.021044701eCl@ss 8.021044701eCl@ss 9.021044701

ETIM 2.0EC000142ETIM 3.0EC000142ETIM 4.0EC000142ETIM 5.0EC000142ETIM 6.0EC000142

UNSPSC 6.0123171604UNSPSC 7.090123171604UNSPSC 1123171604UNSPSC 12.0123171604UNSPSC 13.227111506

ETIM for 1212789 Cable cutting and crimping tools (EC000142)

Feature Name**Feature Value**

Construction/operation (EF001462)

Other

Suitable for max. cable diameter (EF000016)

16 mm

Max. cable cross section (EF000058)

50 mm²

Suitable for stranded conductors (EF007818)

No

Suitable for fine strand conductors (EF007804)

Yes

Suitable for solid conductors (EF007816)

Yes

Suitable for steel wire braiding (EF000152)

No

Total length (EF000369)

160 mm

Replaceable cutting head (EF000153)

No

Cutting jaws exchangeable (EF008045)

No

With strip function (EF007938)

No

Insulated (EF000019)

Yes...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CUTFOX 16 VDE_DB with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.