

INDUSTRIAL COMPONENT DATA

VS-M20 (5-13) 1652127 PHOENIX CONTACT D-SUB pressure nut

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-M20 (5-13)



Manufacturer	PHOENIX CONTACT
MPN / Reference	VS-M20 (5-13)
Catalog number	1652127
Category	Cable gland
Minimum order	5 Pcs
Document ID	EO-88A12B2ECF
Generated	2026-08-01

Product Overview

D-SUB pressure nut

D-SUB cap nut with cable joint, for cable diameter of 5 mm... 13 mm, for VS-25 aerial housing-...

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1652127

Packing unit 5 pc

Minimum order quantity 5 pc

Catalog page Page 219 (C-2-2013)

GTIN 4017918917111

Weight per Piece (excluding packing) 5.100 g

Custom tariff number 39269097

Country of origin DE (Germany)

Dimensions

External cable diameter 5 mm ... 13 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 80 °C

Ambient temperature (assembly) -20 °C ... 80 °C

General data

Housing material PA

Standards and Regulations

Flammability rating according to UL 94 V0

Classifications

eCl@ss 4.027141209eCl@ss 4.127141209eCl@ss 5.027149109eCl@ss 5.127149100eCl@ss 6.027149100eCl@ss

7.027069215eCl@ss 8.027069215eCl@ss 9.027144420

ETIM 2.0EC000441ETIM 3.0EC000441ETIM 4.0EC000441ETIM 5.0EC000814ETIM 6.0EC000814

UNSPSC 6.0130211923UNSPSC 7.090139121522UNSPSC 1139121522UNSPSC 12.0139121522UNSPSC

13.231161514

ETIM for 1652127 Cable glands and cable entry products (EC000441)

Feature Name

Feature Value

Suitable for cable diameter (EF005466)

5 mm

Material (EF002169)

Other

Material quality (EF001257)

Other

Surface protection (EF000139)

Other

Halogen free (EF000025)

No

Degree of protection (IP) (EF005474)

Other

Model (EF000010)

Straight

Separable screw gland (EF005337)

No

Operating temperature (EF001742)

-40 °C

Explosion-tested version (EF004191)

No

For Ex-zone gas (EF005728)

None

For Ex-zone dust (EF008404)

None

For armoured cable (EF012184)

No

EMC-version (EF001062)

No

Screened (EF000881)

No

Pressure-compensating (EF024919)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-M20 (5-13) with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.