

INDUSTRIAL COMPONENT DATA

ME MAX 22,5 SF G 2-2 KMGY VPE1 2201322 PHOENIX CONTACT Electronic housing

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 22,5 SF G 2-2 KMGY VPE1



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 22,5 SF G 2-2 KMGY VPE1
Catalog number	2201322
Category	Electronic enclosure
Minimum order	1 Pcs
Document ID	EO-1C8E271D59
Generated	2026-08-04

Product Overview

Electronic housing

Rail housing, Full housing with metal pin, super-flat design, no vent slits, width: 22.6 mm, height: 85 mm, depth: 69.55 mm, color: light gray (7035), cross bridge: Rail bus connector (optional), number of poles cross connector: 5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2201322

Packing unit 1 pc

GTIN 4046356767002

Weight per Piece (excluding packing) 43.700 g

Custom tariff number 85389099

Country of origin DE (Germany)

General

Housing type Complete housing

Housing material Polyamide

Color (RAL) light gray (7035)

Ambient conditions

Ambient temperature (operation) -40 °C ... 105 °C (depending on power dissipation)

Dimensions

Length 85 mm

Height 70.4 mm

Width 22.5 mm

Depth 85 mm

Technical data

Power dissipation without gap 5.5 W

Power dissipation with 20 mm gap 9.6 W

Number of positions 16

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

ClassificationseCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss 6.027180800eCl@ss
7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 3.0EC001031ETIM 4.0EC001031ETIM 5.0EC001031ETIM 6.0EC001031

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC
13.231261501

ETIM for 2201322 Cabinets and enclosures (EC001031)

Feature Name**Feature Value**

Width (EF000008)

22.6 mm

Height (EF000040)

85 mm

Depth (EF000049)

69.55 mm

Material (EF002169)

Other

Operating temperature (EF002393)

-40 °C

With integrated PCB-mounting connection system (EF003087)

No

Suitable for rail mounting (EF003972)

Yes

Wall mounting possible (EF003973)

No

With ventilation slots (EF007346)

No

Degree o...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 22,5 SF G 2-2 KMGY VPE1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.