


INDUSTRIAL COMPONENT DATA

DFMC 1,5/ 6-ST-3,5 BKBDWH:49-64Q 1086247 PHOENIX CONTACT Connector for printed circuit board, nominal curren..

Brand: PHOENIX CONTACT | Manufacturer Part Number: DFMC 1,5/ 6-ST-3,5 BKBDWH:49-64Q



Manufacturer	PHOENIX CONTACT
MPN / Reference	DFMC 1,5/ 6-ST-3,5 BKBDWH:49-64Q
Catalog number	1086247
Category	Cable connector
Minimum order	1000 Pcs
Document ID	EO-359E787EB9
Generated	2026-08-05

Product Overview

Connector for printed circuit board, nominal current: 8 A, number of poles: 6, pitch: 3.5 mm, connection type: spring clamp push-in, color: black, surface contacts: Tin

Connector for printed circuit board, rated current: 8 A, sizing voltage (III/2): 160 V, nominal cross-section: 1.5 mm², number of poles: 6, pitch: 3.5 mm, connection type: Push-in spring connection, color: black, contact surface: Tin

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > PCB Connectors (PCC)
--------------	--

Additional Product Information

Data commercial

Key order One million eighty six thousand two hundred forty seven

Packing unit 50 pcs

Key selling AAAEAF -

Minimum order quantity 1000 pcs

EAN Four trillion fifty five billion six hundred twenty six million eight hundred seventy eight thousand two hundred sixty three

Unit weight (excluding packaging) 6,520 g

Tariff number tariff Eighty five million three hundred sixty six thousand nine hundred ninety

Drawings

Characteristic data electrical

Directions on cutting edge
Material data - housing
Product dimensions
Environmental conditions
Tensile test
Lines of flight and air spaces
Temperature cycles
Checks resistance (B)
Checks and environmental resistance (E)
Properties of the article
Ability conex.
Material data - contact
Material data: drive element
Indications of packing
Connection and method of connection
Mechanical testing according to the standards
Electrical testing: function
Mechanical testing (A)
Essays on climate (D)
Ratings
Drawings
Diagram
Type: DFMC 1,5/...-ST-3,5 with DMC 1,5/...-G1-3,5 P20 THR
Diagram
Type: DFMC 1,5/...-ST-3,5 with DMCV 1,5/...-G1-3,5 P20 THR
Diagram
Type: DFMC 1,5/...-ST-3,5 with DMC 1,5/...-G1-3,5 P35
Diagram
Type: DFMC 1,5/...-ST-3,5 with DMCV 1,5/...-G1-3,5 P35
Back to topProperties of the article
Abbreviation Connector for printed circuit board
Plug-in system MINI COMBICON - DFMC 1,5
Type of contact Female connection
Family of articles DFMC 1,5/...-ST
Step 3.5 mm
Number of poles Six
Type of connection Connection by spring loaded....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / DFMC 1,5/ 6-ST-3,5 BKBDWH:49-64Q with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.