


INDUSTRIAL COMPONENT DATA

ME 22,5 TBUS 1,5/4P1S KMGY 2201732 PHOENIX CONTACT DIN rail bus connectors

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME 22,5 TBUS 1,5/4P1S KMGY



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME 22,5 TBUS 1,5/4P1S KMGY
Catalog number	2201732
Category	Printed circuit board connector
Minimum order	50 Pcs
Document ID	EO-9A9AAA3DCD
Generated	2026-08-05

Product Overview

DIN rail bus connectors

Bus connectors for rail, color: bright gray, rated current: 8 A, 8 A (parallel contacts) (standard contacts), rated voltage (III/2): 50 V, number of poles: 5, pitch: 3.81 mm, mounting: Rail mounting, lock: without, fixing type: without, Articles with gold contacts, bus connectors for connection with electronics boxes, 4 parallel contacts/1 standard contact

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2201732

Packing unit 50 pc

Catalog page Page 39 (NTK-2014)

GTIN 4046356905220

Weight per Piece (excluding packing) 5.320 g

Custom tariff number 85366990

Country of origin DE (Germany)

Dimensions

Width 22.5 mm

Pitch 3.81 mm

Width [w] 22.5 mm

General

Rated surge voltage (II/2) 1.5 kV

Rated voltage (III/2) 100 V

Insulating material PA

Flammability rating according to UL 94 V0

Color light gray

Number of positions 5

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

ClassificationseCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss 6.027180800eCl@ss
7.027182702eCl@ss 8.027440309eCl@ss 9.027440309

ETIM 2.0EC001031ETIM 3.0EC001031ETIM 4.0EC002638ETIM 5.0EC002638ETIM 6.0EC001031

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC
13.231261501

ETIM for 2201732 Connectors (EC002637)

Feature Name**Feature Value**

Modular spacing contacts (EF007326)

3.81 mm

Modular spacing connections (EF006827)

3.81 mm

Rated current I_n (EF008250)

8 A

Rated voltage (EF000228)

50 V

Rated surge voltage (EF002993)

0.8 kV

Over voltage category (EF006785)

III

Pollution degree (EF006786)

2

Type of electric connection (EF003961)

Other

Suitable for PCB thickness (EF007253)

1.8 mm

Material insulation body (EF007543)

Other

Housing colour (EF000136)

Grey

Inflammabili...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME 22,5 TBUS 1,5/4P1S KMGY with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.