

INDUSTRIAL COMPONENT DATA

CUTFOX-ES 1212621 PHOENIX CONTACT Cable-cutting tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CUTFOX-ES



Manufacturer	PHOENIX CONTACT
MPN / Reference	CUTFOX-ES
Catalog number	1212621
Category	Cable shears
Minimum order	1 Pcs
Document ID	EO-249E6A3CC2
Generated	2026-07-31

Product Overview

Cable-cutting tool

Cable scissors, high cutting capacity thanks to micro-serration of the cutting area, suitable for copper, aluminium, Kevlar fibres and plastic, two-component handle with soft area that prevents slipping, ergonomically shaped, articulation with readjustable screw

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212621

Packing unit 1 pc

Catalog page Page 392 (C-3-2017)

GTIN 4046356641227

Weight per Piece (excluding packing) 105.000 g

Custom tariff number 82033000

Country of origin TW (Taiwan)

Dimensions

Length (b) 155 mm

General

Max. cross section 6 mm²

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121044701eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.124330900eCl@ss 6.021040600eCl@ss 7.021044727eCl@ss 8.021044727eCl@ss 9.021044701

ETIM 4.0EC000160ETIM 5.0EC000160ETIM 6.0EC000142

UNSPSC 6.0127112118UNSPSC 7.090127111518UNSPSC 1123171604UNSPSC 12.0127111518UNSPSC 13.227111518

ETIM for 1212621 Cable cutting and crimping tools (EC000142)

Feature Name**Feature Value**

Suitable for max. cable diameter (EF000016)

12 mm

Max. cable cross section (EF000058)

6 mm²

Suitable for stranded conductors (EF007818)

No

Suitable for fine strand conductors (EF007804)

Yes

Suitable for solid conductors (EF007816)

No

Suitable for steel wire braiding (EF000152)

No

Total length (EF000369)

155 mm

Replaceable cutting head (EF000153)

No

Cutting jaws exchangeable (EF008045)

No

With strip function (EF007938)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

Yes

Grip design (EF007841)

2-components

With impact protection (EF007939)

Yes

VDE tested (EFDE0001)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CUTFOX-ES with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.