

INDUSTRIAL COMPONENT DATA

EMG 12-REL/KSR- 24/1 2949240 PHOENIX CONTACT Relay Module

Brand: PHOENIX CONTACT | Manufacturer Part Number: EMG 12-REL/KSR-24/1



Manufacturer	PHOENIX CONTACT
MPN / Reference	EMG 12-REL/KSR-24/1
Catalog number	2949240
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-587BCA886E
Generated	2026-08-05

Product Overview

Relay Module

Relay module, with soldered mini-switching relay, contact (AgNi): Medium to large powers, 1 open contact, input voltage 24 V AC/DC

Relay module, with soldered miniature relay, contact (AgNi): medium to high power, 1 NO contact, input voltage 24 V AC/DC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial Relays
--------------	-------------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2949240

Packing unit 10 pc

GTIN 4017918083748

Weight per Piece (excluding packing) 44.420 g

Custom tariff number 85364190

Country of origin DE (Germany)

Note

Utilization restriction EMC: class A product, see manufacturer's declaration in the download area

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 5.027371601eCl@ss 5.127371600eCl@ss 6.027371600eCl@ss 7.027371601eCl@ss 8.027371601eCl@ss 9.027371601

ETIM 2.0EC001437ETIM 3.0EC001437ETIM 4.0EC001437ETIM 5.0EC001437ETIM 6.0EC001437

UNSPSC 6.0130211916UNSPSC 7.090139121515UNSPSC 1139121515UNSPSC 12.0139121515UNSPSC 13.239122334

ETIM for 2949240 Relays (EC001437)

Feature Name

Feature Value

Type of electric connection (EF003961)

Screw connection

Complete with socket (EF003359)

Yes

With detachable clamps (EF003340)

No

With LED indication (EF005950)

Yes

Rated control supply voltage AC 50 Hz (EF003978)

19.2 V

Rated control supply voltage AC 60 Hz (EF003979)

19.2 V

Rated control supply voltage DC (EF003980)

19.2 V

Voltage type for actuating (EF008242)

AC/DC

Drive, polarization (EF003355)

Polarized

Drive, switching attitude (EF003356)

Mono stable

Number of contacts as normally closed contact (EF008255)

0

Number of contacts as normally open contact (EF008256)

1

Number of contacts as change-over contact (EF008257)

0

Type of...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / EMG 12-REL/KSR-24/1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.