

INDUSTRIAL COMPONENT DATA

A 35 -40 3241239 PHOENIX CONTACT Ferrule

Brand: PHOENIX CONTACT | Manufacturer Part Number: A 35-40



Manufacturer	PHOENIX CONTACT
MPN / Reference	A 35-40
Catalog number	3241239
Category	Cable end sleeve
Minimum order	100 Pcs
Document ID	EO-5973979E5C
Generated	2026-08-02

Product Overview

Ferrule

Toe cap, length: 40 mm, colour: silver

Tip, socket length: 40 mm, colour: silver

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Ferrules
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 3241239

Packing unit 100 pc

Minimum order quantity 100 pc

Note Made to Order (non-returnable)

Catalog page Page 480 (C-3-2017)

GTIN 4046356908122

Weight per Piece (excluding packing) 2.080 g

Custom tariff number 85369010

Country of origin DE (Germany)

Dimensions

Length (b) 40 mm

Maximum stripping length 40 mm

Inner dimension of the insulating collar (d) 11 mm

Ferrule diameter 8.2 mm

Sleeve wall thickness 0.2 mm

Ambient conditions

Short-term temperature 120 °C

Max. permanent temperature 105 °C

General

Note These ferrules are not included in DIN 46228-1: 1992-08

Color silver

Material CU-DHP

Coating tin-plated (galvanic)

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.127060701eCl@ss 5.127400200eCl@ss 6.027400200eCl@ss 7.027400290eCl@ss 8.027400201eCl@ss
9.027400201

ETIM 5.0EC000005ETIM 6.0EC000005

UNSPSC 13.227121703

ETIM for 3241239 Cable terminations and insulation products (EC000005)

Feature Name

Feature Value

Nominal cross section (EF001335)

35 mm²

Sleeve length (EF000014)

40 mm

Insulated (EF000019)

No

Halogen free (EF000025)

No

Surface protection (EF000139)

Other

For cables resistant to short circuit (EF001713)

No

With identification flag (EF007954)

No

AWG size (EF011789)

2

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / A 35-40 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.