

**INDUSTRIAL COMPONENT DATA**

# BC 35,6 BS U11 KMGY 2896209 PHOENIX CONTACT Filler plugs

Brand: PHOENIX CONTACT | Manufacturer Part Number: BC 35,6 BS U11 KMGY



|                 |                                  |
|-----------------|----------------------------------|
| Manufacturer    | PHOENIX CONTACT                  |
| MPN / Reference | BC 35,6 BS U11 KMGY              |
| Catalog number  | 2896209                          |
| Category        | Extruded profile modular housing |
| Minimum order   | 50 Pcs                           |
| Document ID     | EO-5AB87CF392                    |
| Generated       | 2026-08-04                       |

## Product Overview

Filler plugs

Rail box for use in installation distributors in accordance with DIN 43880, Blanking plug for unequipped terminal points (U11), width: 35.6 mm, height: 27.27 mm, depth: 11.05 mm, colour: light grey (Similar to RAL 7035)

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                |
|--------------|--------------------------------|
| Catalog path | PHOENIX CONTACT > Housing (HS) |
|--------------|--------------------------------|

## Additional Product Information

Key Commercial Data

Orderkey 2896209

Packing unit 50 pc

Catalog page Page 698 (C-1-2013)

GTIN 4046356096607

Weight per Piece (excluding packing) 0.490 g

Custom tariff number 85472000

Country of origin DE (Germany)

Item properties

Brief article description Filler plugs

Type BC 35,6 BS U11 KMGY

Order No. 2896209

Housing type Installation component housing

Type Filler plug; 35.6

Dimensions

Width [ w ] 35.6 mm

Depth [ d ] 11.05 mm

Material data

Color (RAL) Light gray (7035)

Housing material Polyamide

Packaging information

Pieces per package 50

Denomination packing units Pcs.

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss 6.027180800eCl@ss  
7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 2.0EC001031ETIM 3.0EC001031ETIM 4.0EC001031ETIM 5.0EC001031ETIM 6.0EC001031

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC  
13.231261501

ETIM for 2896209 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Material (EF002169)

Other

Surface finishing (EF006569)

Other

Colour (EF000007)

Grey

RAL-number (EF000116)

7035

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / BC 35,6 BS U11 KMGY with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.