

INDUSTRIAL COMPONENT DATA

FLX-D25F/8CH/AO/TDC3K 2908886 PHOENIX CONTACT

Interface module

Brand: PHOENIX CONTACT | Manufacturer Part Number: FLX-D25F/8CH/AO/TDC3K



Manufacturer	PHOENIX CONTACT
MPN / Reference	FLX-D25F/8CH/AO/TDC3K
Catalog number	2908886
Category	Interface module
Minimum order	2 Pcs
Document ID	EO-B2CDEBE87F
Generated	2026-07-29

Product Overview

Interface module

Transfer module for conversion of TDC3000 to modern control platforms, analog output, 8 channels

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 2908886

Packing unit 1 pc

Minimum order quantity 2 pc

Note Made to Order (non-returnable)

GTIN 4055626477909

Weight per Piece (excluding packing) 0.000 g

Custom tariff number 85176200

Country of origin US (United States)

Dimensions

Width 152.4 mm

Height 120.7 mm

Depth 38.3 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 70 °C

Ambient temperature (storage/transport) -40 °C ... 75 °C

General

Operating voltage 30 V DC

Max. perm. current (per branch) 500 mA

Mounting position any

Connection data for connection 1

Connection name Field level

Connection method pluggable

Channels which can be connected 8

Connection data for connection 2

Connection name Controller level

Connection method D-SUB pin strip

Number of connections 1

Number of positions 25

Supported controller

Controller Honeywell TDC3000

- suitable I/O card TAOX02

TAOX12

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 7.027141152eCl@ss 8.027141152eCl@ss 9.027141152

ETIM 5.0EC002780ETIM 6.0EC002780

ETIM for 2908886 PLC's (EC002780)

Feature Name

Feature Value

Type of electrical connection, control sided (EF008549)

D-Sub

Number of poles (EF001391)

25

Rated voltage (EF000228)

30 V

Rated current (EF000227)

0.5 A

Depth (EF000049)

38.3 mm

Width (EF000008)

152.4 mm

Height (EF000040)

120.7 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / FLX-D25F/8CH/AO/TDC3K with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.