

INDUSTRIAL COMPONENT DATA

FTP-3/4SL GN 1030003 PHOENIX CONTACT Test plug, nom. voltage: 400 V, number of positions: 4, width: 56.8 mm,..

Brand: PHOENIX CONTACT | Manufacturer Part Number: FTP-3/4SL GN



Manufacturer	PHOENIX CONTACT
MPN / Reference	FTP-3/4SL GN
Catalog number	1030003
Category	Test plug for terminal blocks
Minimum order	1 Pcs
Document ID	EO-52D24D4A04
Generated	2026-08-04

Product Overview

Test plug, nom. voltage: 400 V, number of positions: 4, width: 56.8 mm, height: 98.2 mm, color: green

Test connector, nominal voltage: 400 V, number of poles: 4, Sizing cross-section: 2.5 mm², colour: green

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Enclosures connectivity

Additional Product Information

Key Commercial Data

Orderkey 1030003

Packing unit 1

Catalog page Page 645 (C-1-2019)

GTIN 4055626532912

Custom tariff number 85366990

Drawings

Dimensions

Mounting

Classifications

General

Connection data

Standards and Regulations

Drawings

Circuit diagram

[Back to top](#)General

Number of positions 4

Potentials 4

Nominal cross section 6 mm²

Color green

Insulating material PA

Flammability rating according to UL 94 V0

Maximum power dissipation for nominal condition 1.31 W

Maximum load current 20 A

Current I_{th} 20 A

Nominal voltage UN 400 V

[Back to top](#)Dimensions

Width 56.8 mm

Length 96.8 mm

Height 98.2 mm

Pitch 8.2 mm

[Back to top](#)Connection data

Conductor cross section flexible min. 0.5 mm²

Conductor cross section flexible max. 2.5 mm²

Min. AWG conductor cross section, flexible 20

Max. AWG conductor cross section, flexible 14

[Back to top](#)Mounting

Min. tightening torque of the test socket screw: 0.5 Nm

Max. tightening torque of the test socket screw: 0.6 Nm

[Back to top](#)Standards and Regulations

Flammability rating according to UL 94 V0

[Back to top](#)Classifications

eCl@ss

eCl@ss 5.1 27141100

eCl@ss 6.0 27141100

eCl@ss 7.0 27440313

eCl@ss 8.0 27440313

eCl@ss 9.0 27440313

[Back to top](#)ETIM

ETIM 4.0 EC000897

ETIM 5.0 EC002255

ETIM 6.0 EC002255

ETIM 7.0 EC002255

[Back to top](#)UNSPSC

UNSPSC 13.2 39121410

UNSPSC 18.0 39121410

UNSPSC 19.0 39121410

UNSPSC 20.0 39121410

UNSPSC 21.0 39121410

[Back to top](#)

ETIM for 1030003 Terminal blocks (EC002555)

Feature Name

Feature Value

Connectable (EF006169)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / FTP-3/4SL GN with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.