

INDUSTRIAL COMPONENT DATA

HC-B 06-SMLD-74/O1M32 1460087 PHOENIX CONTACT HEAVYCON B6 box mounting base, with single locking latch and c..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 06-SMLD-74/O1M32



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 06-SMLD-74/O1M32
Catalog number	1460087
Category	Housing for rectangular connectors
Minimum order	10 Pcs
Document ID	EO-034EC63CD3
Generated	2026-08-03

Product Overview

HEAVYCON B6 box mounting base, with single locking latch and cover, height: 74 mm, with 1 x M32 gland
HEAVYCON B6 plinth housing, with longitudinal lock and lid, height 74 mm, with tubing 1 x M32

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data

Orderkey 1460087

Packing unit 1

GTIN 4046356696616

Custom tariff number 85389099

Drawings

Ambient conditions

Environmental Product Compliance

Dimensions

General

Classifications

Drawings

[Dimensional drawing](#)

[Dimensional drawing](#)

[Back to top](#)[Dimensions](#)

Height 67 mm

Width 57 mm

Length 117 mm

[Back to top](#)[Ambient conditions](#)

Degree of protection of housing (IP) IP65 (When plugged in)

IP54 (with closed protective cover)

Ambient temperature (operation) -40 °C ... 125 °C

[Back to top](#)[General](#)

Note For contact inserts HC-B16, BB32, D40, DD72, HS6, M, K

Size B6

Housing type Box mounting bases

Locking type with single locking latch

No. of cable outlets 1

Cable outlet left (view of the opened single locking latch)

Screw connection none

Type of the screw connection 1x M32

Protective cover yes

Housing material Aluminum die-cast

Housing surface material Powder-coated, gray

Seal material NBR

Material lock Stainless steel, handle: PA

Material grip body interlock PA

Material, protective cover PA

Assembly instructions For half and full screw connections

[Back to top](#)[Environmental Product Compliance](#)

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

[Back to top](#)[Classifications](#)

eCl@ss

eCl@ss 10.0.1 27440202

eCl@ss 4.0 27140800

eCl@ss 4.1 27140800

eCl@ss 5.0 27143400

eCl@ss 5.1 27261200

eCl@ss 6.0 27261200

eCl@ss 7.0 27440202

eCl@ss 8.0 27440202

eCl@ss 9.0 27440202

[Back to top](#)[ETIM](#)

ETIM 3.0 EC000437

ETIM 4.0 EC000437

ETIM 5.0....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 06-SMLD-74/O1M32 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.