

INDUSTRIAL COMPONENT DATA

HC-B 06-SMLD-74/O1M32 1460087 PHOENIX CONTACT HEAVYCON B6 box mounting base, with single locking latch and c..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 06-SMLD-74/O1M32



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 06-SMLD-74/O1M32
Catalog number	1460087
Category	Housing for rectangular connectors
Minimum order	10 Pcs
Document ID	EO-034EC63CD3
Generated	2026-08-04

Product Overview

HEAVYCON B6 box mounting base, with single locking latch and cover, height: 74 mm, with 1 x M32 gland
HEAVYCON B6 plinth housing, with longitudinal lock and lid, height 74 mm, with tubing 1 x M32

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial plug-in connectors/interfaces**

Additional Product Information

Key Commercial Data

Orderkey 1460087

Packing unit 1

GTIN 4046356696616

Custom tariff number 85389099

Drawings

Ambient conditions

Environmental Product Compliance

Dimensions

General

Classifications

Drawings

[Dimensional drawing](#)
[Dimensional drawing](#)
[Back to top](#)[Dimensions](#)
Height 67 mm
Width 57 mm
Length 117 mm
[Back to top](#)[Ambient conditions](#)
Degree of protection of housing (IP) IP65 (When plugged in)
IP54 (with closed protective cover)
Ambient temperature (operation) -40 °C ... 125 °C
[Back to top](#)[General](#)
Note For contact inserts HC-B16, BB32, D40, DD72, HS6, M, K
Size B6
Housing type Box mounting bases
Locking type with single locking latch
No. of cable outlets 1
Cable outlet left (view of the opened single locking latch)
Screw connection none
Type of the screw connection 1x M32
Protective cover yes
Housing material Aluminum die-cast
Housing surface material Powder-coated, gray
Seal material NBR
Material lock Stainless steel, handle: PA
Material grip body interlock PA
Material, protective cover PA
Assembly instructions For half and full screw connections
[Back to top](#)[Environmental Product Compliance](#)
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
[Back to top](#)[Classifications](#)
eCl@ss
eCl@ss 10.0.1 27440202
eCl@ss 4.0 27140800
eCl@ss 4.1 27140800
eCl@ss 5.0 27143400
eCl@ss 5.1 27261200
eCl@ss 6.0 27261200
eCl@ss 7.0 27440202
eCl@ss 8.0 27440202
eCl@ss 9.0 27440202
[Back to top](#)[ETIM](#)
ETIM 3.0 EC000437
ETIM 4.0 EC000437
ETIM 5.0....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 06-SMLD-74/O1M32 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.