

INDUSTRIAL COMPONENT DATA

HC-CIF-B06-HFWL-PL 1424334 PHOENIX CONTACT DIN rail mounting frame

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-CIF-B06-HFWL-PL



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-CIF-B06-HFWL-PL
Catalog number	1424334
Category	Fixing element for industrial connectors
Minimum order	1 Pcs
Document ID	EO-0EA37E1F0D
Generated	2026-08-03

Product Overview

DIN rail mounting frame

Connector mounting frame, construction: B6, For contact inserts, Top frame

DIN rail mounting frame, design: B6, For contact inserts, Top frame

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data

Orderkey 1424334

Packing unit 1 pc

Catalog page Page 692 (C-2-2017)

GTIN 4055626370729

Weight per Piece (excluding packing) 41.000 g

Custom tariff number 85389099

Country of origin CN (China)

Dimensions

Length 110 mm

Width 42 mm

Height 61 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 125 °C

General

Size B6

Material PC

Flammability rating according to UL 94 V0

Color traffic grey

Note for B6, BB10, DD24 contact inserts and B6 module frame

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 5.127143424eCl@ss 6.027261200eCl@ss 7.027440206eCl@ss 8.027440206eCl@ss 9.027440210

ETIM 5.0EC002310ETIM 6.0EC002310

ETIM for 1424334 Connectors (EC002310)

Feature Name

Feature Value

Type of fixing element (EF012206)

Rail bracket

Material assembly frame (EF007542)

Other

With PE-connection (EF005600)

No

Inflammability class of insulation material according to UL94 (EF002521)

V0

Fixing direction (EF012208)

Swivelling

Width (EF000008)

42 mm

Height (EF000040)

61 mm

Depth (EF000049)

110 mm

Type of mounting rail (EF012209)

DIN rail (top hat rail)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-CIF-B06-HFWL-PL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.