

INDUSTRIAL COMPONENT DATA

HC-COM-BAWS-EL-AL 1078593 PHOENIX CONTACT Panel mounting base COM, with single locking latch, material: Die-..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-COM-BAWS-EL-AL



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-COM-BAWS-EL-AL
Catalog number	1078593
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-FB52AA848F
Generated	2026-07-29

Product Overview

Panel mounting base COM, with single locking latch, material: Die-cast aluminum, salt water resistant, height: 41.7 mm, cable gland: none, support sleeve: no, Standard

COM recessed housing, with longitudinal flange, material: Die-cast aluminium, seawater resistant, height: 37.5 mm, cable gland: without, Standard

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial plug-in connectors/interfaces

Additional Product Information

Key Commercial Data

Orderkey 1078593

Packing unit 1 pc

Catalog page Page 653 (C-2-2019)

GTIN 4055626794112

Weight per Piece (excluding packing) 0.000 g

Custom tariff number 85389099

Country of origin CN (China)

Drawings

Ambient conditions

Standards and Regulations

Dimensions

General

Classifications

Drawings

Dimensional drawing

[Back to top](#)Dimensions

Height 41.7 mm

Width 64.5 mm

Length 46.6 mm

[Back to top](#)Ambient conditions

Degree of protection (IP) IP66

Ambient temperature (operation) -40 °C ... 125 °C

[Back to top](#)General

Size COM

Housing type Panel mounting base

Color gray aluminum

Locking type with single locking latch

Screw connection none

Housing material Die-cast aluminum, salt water resistant

Seal material NBR

Material lock PA

Flammability rating according to UL 94 V0

[Back to top](#)Standards and Regulations

Flammability rating according to UL 94 V0

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27440202

eCl@ss 4.0 27140816

eCl@ss 4.1 27140816

eCl@ss 5.0 27143424

eCl@ss 5.1 27261200

eCl@ss 6.0 27261200

eCl@ss 7.0 27440202

eCl@ss 8.0 27440202

eCl@ss 9.0 27440202

[Back to top](#)ETIM

ETIM 4.0 EC000437

ETIM 5.0 EC000437

ETIM 6.0 EC000437

ETIM 7.0 EC000437

[Back to top](#)UNSPSC

UNSPSC 6.01 31261502

UNSPSC 7.0901 31261502

UNSPSC 11 31261502

UNSPSC 12.01 31261502

UNSPSC 13.2 31261501

UNSPSC 18.0 31261501

UNSPSC 19.0 31261501

UNSPSC 20.0 31261501

UNSPSC 21.0 31261501

[Back to top](#)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-COM-BAWS-EL-AL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.