

INDUSTRIAL COMPONENT DATA

HC-COM-BAWS-PL-BK 1012433 PHOENIX CONTACT Panel mounting base COM, with single locking latch, material: PA, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-COM-BAWS-PL-BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-COM-BAWS-PL-BK
Catalog number	1012433
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-FAEA733399
Generated	2026-07-29

Product Overview

Panel mounting base COM, with single locking latch, material: PA, height: 41.7 mm, cable gland: none, support sleeve: no, Standard

COM recessed housing, with longitudinal flange, material: PA, height: 36 mm, cable gland: without, Standard

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial plug-in connectors/interfaces**

Additional Product Information

Key Commercial Data

Orderkey 1012433

Packing unit 1 pc

Catalog page Page 652 (C-2-2019)

GTIN 4055626488592

Weight per Piece (excluding packing) 0.000 g

Custom tariff number 85389099

Country of origin CN (China)

Drawings

Ambient conditions

Standards and Regulations

Classifications

Dimensions

[General](#)[Environmental Product Compliance](#)[Drawings](#)[Dimensional drawing](#)[Back to topDimensions](#)

Height 41.7 mm

Width 64.5 mm

Length 46.6 mm

[Back to topAmbient conditions](#)

Degree of protection (IP) IP66

Ambient temperature (operation) -40 °C ... 125 °C

[Back to topGeneral](#)

Size COM

Housing type Panel mounting base

Color black

Locking type with single locking latch

Screw connection none

Housing material PA

Seal material NBR

Material lock PA

Flammability rating according to UL 94 V0

[Back to topStandards and Regulations](#)

Flammability rating according to UL 94 V0

[Back to topEnvironmental Product Compliance](#)

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to topClassifications](#)

eCl@ss

eCl@ss 10.0.1 27440202

eCl@ss 4.0 27140816

eCl@ss 4.1 27140816

eCl@ss 5.0 27143424

eCl@ss 5.1 27261200

eCl@ss 6.0 27261200

eCl@ss 7.0 27440202

eCl@ss 8.0 27440202

eCl@ss 9.0 27440202

[Back to topETIM](#)

ETIM 4.0 EC000437

ETIM 5.0 EC000437

ETIM 6.0 EC000437

ETIM 7.0 EC000437

[Back to topUNSPSC](#)

UNSPSC 6.01 31261502

UNSPSC 7.0901 31261502

UNSPSC 11 31261502

UNSPSC 12.01 31261502

UNSPSC 13.2 31261501

UNSPSC 18.0 31261501

UNSP...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-COM-BAWS-PL-BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.