

INDUSTRIAL COMPONENT DATA

HC-COM-HHFS-1TGM32-PL-BK 1472649 PHOENIX CONTACT COM aerial housing, for longitudinal flange, material: PA, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-COM-HHFS-1TGM32-PL-BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-COM-HHFS-1TGM32-PL-BK
Catalog number	1472649
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-5DCE8E222A
Generated	2026-08-05

Product Overview

COM aerial housing, for longitudinal flange, material: PA, cable outlets: 1, straight, 1x M32, height: 99 mm, cable gland: with, Standard

COM Aerial Housing, for Longitudinal Flange, Material: PA, Cable Outlets: 1, Straight, 1x M32, Height: 84 mm, Cable Gland: With, Standard

Sleeve housing COM, for single locking latch, material: PA, cable outlets: 1, straight, 1x M32, height: 99 mm, cable gland: with, Standard

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Technical dataProduct propertiesType COM

Product type Housing with locking latch

Product family HC-COM

Application Standard

No. of cable outlets 1

Type of the screw connection 1x M32

Housing type Sleeve housing

Shielded no

Cable outlet straight

Pg screw connection with

DimensionsDimensional drawing

Width 39 mm

Height 99 mm

Length 48.8 mm

Material specificationsFlammability rating according to UL 94 V0

Housing material PA

Mechanical propertiesMechanical data

Type of the screw connection 1x M32

Locking type Pin

Cable/lineTightening torque, union nut 5.00 Nm

Environmental and real-life conditionsAmbient conditions

Degree of protection IP66

Ambient temperature (operation) -40 °C ... 125 °C

ETIM for 1472649 Connectors (EC000437)

Feature Name

Feature Value

Width (EF000008)

39 mm

Height (EF000040)

99 mm

Depth (EF000049)

48.8 mm

Type of housing (EF006980)

Plug case

Housing material (EF001596)

Other

Coating housing (EF001601)

Other

Housing colour (EF000136)

Black

Position cable feed (EF008218)

Other

Position of the shackle (EF008459)

None

With cable screw gland (EF000735)

Yes

Mounting method of the cable gland (EF012210)

Metric

With hinged lid (EF000117)

No

With distance piece (EF005072)

No

With sealing (EF005610)

No

Number of conduit inlets (EF000437)

1

Type of locking (EF000208)

Single locking lever

Operating temperature (EF002393)

-40 °C

EMC-version (EF001062)

No

Degree of protection (IP), mounted (EF007466)

IP66

Impact strength (EF004293)

IK06

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-COM-HHFS-1TGM32-PL-BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.