

**INDUSTRIAL COMPONENT DATA**

# HC-HPR-B10-BCLWH-E-BK 1418444 PHOENIX CONTACT

## Protective covers

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-HPR-B10-BCLWH-E-BK



|                 |                               |
|-----------------|-------------------------------|
| Manufacturer    | PHOENIX CONTACT               |
| MPN / Reference | HC-HPR-B10-BCLWH-E-BK         |
| Catalog number  | 1418444                       |
| Category        | Cap for industrial connectors |
| Minimum order   | 1 Pcs                         |
| Document ID     | EO-1DA4099075                 |
| Generated       | 2026-08-06                    |

## Product Overview

Protective covers

B10 protective cap, with screw lock, material: Die-cast aluminum, protective cap material: Al, height: 32 mm, for high environmental and EMC requirements

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                            |
|--------------|------------------------------------------------------------|
| Catalog path | PHOENIX CONTACT > Industrial plug-in connectors/interfaces |
|--------------|------------------------------------------------------------|

## Additional Product Information

Key Commercial Data

Orderkey 1418444

Packing unit 1 pc

GTIN 4055626140230

Weight per Piece (excluding packing) 142.000 g

Custom tariff number 85389099

Country of origin CN (China)

Dimensions

Height 32 mm

Width 58 mm

Length 146 mm

Ambient conditions

Degree of protection of housing (IP) IP66

IP68

IP69K (ISO 20653:2013-02)

Ambient temperature (operation) -40 °C ... 125 °C

General

Note Protective cover for supporting base elements

Size B10

Housing type Protective cover

Color black

Locking type with screw locking

Housing material Aluminum die-cast

Housing surface material Powder-coated, black

Material of locking screw Stainless steel

Material, protective cover Al

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027141210eCl@ss 4.127141210eCl@ss 5.027149110eCl@ss 5.127149100eCl@ss 6.027261200eCl@ss  
7.027440208eCl@ss 8.027440208eCl@ss 9.027440208

ETIM 2.0EC000241ETIM 3.0EC002040ETIM 4.0EC002314ETIM 5.0EC002314ETIM 6.0EC002314

UNSPSC 6.0130212113UNSPSC 7.090139121712UNSPSC 1139121712UNSPSC 12.0139121712UNSPSC  
13.239121421

ETIM for 1418444 Connectors (EC002314)

Feature Name

Feature Value

Type of locking (EF000208)

Other

With sealing (EF005610)

No

With captivity element (EF012222)

Yes

Colour (EF000007)

Black

Inflammability class of insulation material according to UL94 (EF002521)

Other

Ambient temperature (EF002386)

125 °C

Degree of protection (IP), mounted (EF007...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-HPR-B10-BCLWH-E-BK with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.