

INDUSTRIAL COMPONENT DATA

HC-STA-B10-HHFS-BLANK-EL-AL 1419903 PHOENIX CONTACT Housing

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-STA-B10-HHFS-BLANK-EL-AL



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-STA-B10-HHFS-BLANK-EL-AL
Catalog number	1419903
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-0829CFE683
Generated	2026-08-04

Product Overview

Housing

B10 overhead housing, for longitudinal flange, material: Die-cast aluminium, seawater resistant, variable, height: 72 mm, cable gland: without, Standard, without threaded hole for a screw

Grommet housing B10, for longitudinal brackets, material: die-cast aluminium, seawater-resistant, variable, height: 72 mm, cable gland: without, standard, without threaded opening for one screw connection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 1419903

Packing unit 1 pc

Catalog page Page 647 (C-2-2017)

GTIN 4055626201276

Weight per Piece (excluding packing) 195.300 g

Custom tariff number 85389099

Country of origin CN (China)

Dimensions

Height 72 mm

Width 44 mm

Length 73 mm

Ambient conditions

Degree of protection of housing (IP) IP66

IP67

Degree of protection of housing (NEMA) 4 (UL 50e)

4X (UL 50e)

12 (UL 50e)

Ambient temperature (operation) -40 °C ... 125 °C

General

Note For contact inserts HC-B10, BB18, DD42, M, K8/24

Size B10

Housing type Sleeve housing

Color gray aluminum

Locking type for single locking latch

Cable outlet Variable

Screw connection none

Housing material Die-cast aluminum, salt water resistant

Housing surface material uncoated

Environmental Product Compliance

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 5.127261200eCl@ss 6.027261200eCl@ss 7.027440202eCl@ss 8.027440202eCl@ss 9.027440202

ETIM 5.0EC000437ETIM 6.0EC000437

UNSPSC 13.231261501

ETIM for 1419903 Connectors (EC000437)

Feature Name

Feature Value

Width (EF000008)

44 mm

Height (EF000040)

72 mm

Depth (EF000049)

73 mm

Type of housing (EF006980)

Plug case

Housing material (EF001596)

Aluminium

Coating housing (EF001601)

Uncoated

Housing colour (EF000136)

Other

Position cable feed (EF008218)

Other

Position of the shackle (EF008459)

Other

With cable screw gland (EF000735)

No
Mounting method....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-STA-B10-HHFS-BLANK-EL-AL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.