

INDUSTRIAL COMPONENT DATA

HCS-C MEDIUM D-SEAL 2,8 2203737 PHOENIX CONTACT Seal

Brand: PHOENIX CONTACT | Manufacturer Part Number: HCS-C MEDIUM D-SEAL 2,8



Manufacturer	PHOENIX CONTACT
MPN / Reference	HCS-C MEDIUM D-SEAL 2,8
Catalog number	2203737
Category	Extruded profile modular housing
Minimum order	1 Pcs
Document ID	EO-D120A5A5CD
Generated	2026-08-04

Product Overview

Seal

Self-adhesive shutter frame, laser engraving for 2.8" screen

Self-adhesive, laser-marked sealing frame for 2.8" display

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2203737

Packing unit 1 pc

GTIN 4055626485430

Weight per Piece (excluding packing) 3.200 g

Custom tariff number 39269097

Country of origin DE (Germany)

Item properties

Type HCS-C MEDIUM D-SEAL 2,8

Order No. 2203737

Housing type Handheld housing

Measurements

Width [w] 75 mm

Height [h] 45.2 mm

Depth [d] 2 mm

Material specifications

Color (RAL) anthracite

Hammer test

Specification IEC 60068-2-75:2014-09

Impact energy 0.7 J

Number of drop cycles 5

Thermostability (ball thrust test)

Specification IEC 60695-10-2:2014-02

Temperature 80 °C

Test duration 1 h

Force 20

Test for assessing the risk of fire (glow wire)

Specification IEC 60695-2-11:2014-02

Temperature 850 °C

Time of exposure 30 s

Packaging information

Pieces per package 1

Denomination packing units Pcs.

Classifications

eCl@ss 5.127180506eCl@ss 6.027180800eCl@ss 7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 5.0EC001031ETIM 6.0EC001031

ETIM for 2203737 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HCS-C MEDIUM D-SEAL 2,8 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.