

INDUSTRIAL COMPONENT DATA

HC-B 24-TMS-SD-IP66 1411520 PHOENIX CONTACT Protective covers

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 24-TMS-SD-IP66



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 24-TMS-SD-IP66
Catalog number	1411520
Category	Cap for industrial connectors
Minimum order	10 Pcs
Document ID	EO-8A01C00100
Generated	2026-08-05

Product Overview

Protective covers

B24 HEAVYCON ADVANCE IP66 protective cover, for recessed side, with screw lock, with retaining cord, retaining cord ring diameter: 3 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 1411520

Packing unit 10 pc

Catalog page Page 620 (C-2-2017)

GTIN 4046356918732

Weight per Piece (excluding packing) 57.190 g

Custom tariff number 85389099

Country of origin DE (Germany)

Dimensions

Height 39.3 mm

Width 55 mm

Length 149.5 mm

Ambient conditions

Degree of protection (IP) IP66

Ambient temperature (operation) -20 °C ... 100 °C

General

Size B24

Type HC-ADVANCE protective cover

Housing type Protective cover

Color gray

Locking type Screw locking

Torque 3 Nm (Locking screw)

Seal material NBR

Cable gland material Stainless steel

Material lock Stainless steel

Material of locking screw Stainless steel

Material, protective cover PA

Flammability rating according to UL 94 V0

Assembly instructions Tightening torque of locking screw: 3 Nm

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027141210eCl@ss 4.127141210eCl@ss 5.027149110eCl@ss 5.127149100eCl@ss 6.027261200eCl@ss

7.027440208eCl@ss 8.027440208eCl@ss 9.027440208

ETIM 2.0EC000241ETIM 3.0EC002040ETIM 4.0EC002314ETIM 5.0EC002314ETIM 6.0EC002314

UNSPSC 6.0130212113UNSPSC 7.090139121712UNSPSC 1139121712UNSPSC 12.0139121712UNSPSC

13.239121421

ETIM for 1411520 Connectors (EC002314)

Feature Name

Feature Value

Type of locking (EF000208)

Other

With sealing (EF005610)

Yes

With captivity element (EF012222)

Yes

Col...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 24-TMS-SD-IP66 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.