

INDUSTRIAL COMPONENT DATA

HC-B 24-APV-GY 1661037 PHOENIX CONTACT Cover plate

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-B 24-APV-GY



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-B 24-APV-GY
Catalog number	1661037
Category	Adapter plate industrial connectors
Minimum order	10 Pcs
Document ID	EO-74B6712B14
Generated	2026-08-05

Product Overview

Cover plate

HEAVYCON Locking Plate, for B24 Construction Wall Openings, 7 mm Thickness, Grey

HEAVYCON Cover plate, for wall cut-outs of type B24, thickness 7 mm, grey

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 1661037

Packing unit 10 pc

Minimum order quantity 10 pc

Note Made to Order (non-returnable)

Catalog page Page 666 (C-2-2017)

GTIN 4017918022433

Weight per Piece (excluding packing) 34.960 g

Custom tariff number 39269097

Country of origin DE (Germany)

Dimensions

Length 150 mm

Height 7 mm

Hole diameter 4.5 mm

Width 52 mm

Drill hole distance, horizontal 130 mm

Drill hole distance, vertical 32 mm

General

Note For wall cutouts of type B24

Material PA

Flammability rating according to UL 94 HB

Color gray

Type B24

Standards and Regulations

Flammability rating according to UL 94 HB

Environmental Product Compliance

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 4.027140816eCl@ss 4.127140816eCl@ss 5.027143424eCl@ss 5.127143400eCl@ss 6.027261200eCl@ss
7.027440201eCl@ss 8.027440201eCl@ss 9.027440201

ETIM 3.0EC002309ETIM 4.0EC000886ETIM 5.0EC002309ETIM 6.0EC002309

UNSPSC 6.0130211817UNSPSC 7.090139121416UNSPSC 1139121408UNSPSC 12.0139121408UNSPSC
13.231261501

ETIM for 1661037 Connectors (EC002309)

Feature Name

Feature Value

Width (EF000008)

52 mm

Height (EF000040)

7 mm

Shape of opening (EF006256)

Other

Number of openings (EF005591)

0

Material adapter plate (EF007539)

Plastic

With sealing (EF005610)

Yes

Degree of protection (IP), mounted (EF007466)

IP54

Inflammability class of insulation material according to UL94 (EF002521)

HB

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-B 24-APV-GY with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.