

INDUSTRIAL COMPONENT DATA

HC-EVO-D15-BWS-PLR-BK 1411336 PHOENIX CONTACT Housing

Brand: PHOENIX CONTACT | Manufacturer Part Number: HC-EVO-D15-BWS-PLR-BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	HC-EVO-D15-BWS-PLR-BK
Catalog number	1411336
Category	Housing for rectangular connectors
Minimum order	1 Pcs
Document ID	EO-01E2D508C1
Generated	2026-08-02

Product Overview

Housing

Recessed housing D15, with longitudinal flange, material: PA, height: 26 mm, cable gland: without, Standard, with flat joint
Panel mounting base D15, with single locking latch, material: PA 6.6-FR, height: 26 mm, cable gland: none, Standard, with flat gasket

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial plug-in connectors/interfaces
--------------	--

Additional Product Information

Technical dataNotesGeneral For contact inserts HC-D15, A10

Product propertiesProduct type Housing with locking latch

Housing type Panel mounting base

Product family HC-EVO-D

Application Standard

Type D15

Pg screw connection none

Data management status

Article revision 02

DimensionsDimensional drawing

Width 39 mm

Height 26 mm

Length 82 mm
Drill hole distance, horizontal 70 mm
Drill hole distance, vertical 17.5 mm
Hole diameter 3.3 mm
Installation dimensions
Width of the assembly cutout 24 mm
Length of the assembly cutout 58 mm
Material specifications Flammability rating according to UL 94 V0 (Housing)
V0 (Interlock)
Seal material NBR
Housing material PA 6.6-FR
Locking latch material PA
Mechanical properties Mechanical data
Locking type Latch
Connection data Tightening torque 0.5 Nm ... 0.8 Nm (For M3 mounting screws on the panel-mount base)
Environmental and real-life conditions Ambient conditions
Degree of protection IP66
Enclosure rating (NEMA) 12 (UL 50e)
Impact strength IK08
Ambient temperature (operation) -40 °C ... 125 °C
ETIM for 1411336 Connectors (EC000437)
Feature Name
Feature Value
Width (EF000008)
39 mm
Height (EF000040)
26 mm
Depth (EF000049)
82 mm
Type of housing (EF006980)
Housing extension
Housing material (EF001596)
Other
Coating housing (EF001601)
Other
Housing colour (EF000136)
Black
Position cable feed (EF008218)
Other
Position of the shackle (EF008459)
Cover
With cable screw gland (EF000735)
No
Mounting method of the cable gland (EF012210)
None
With hinged li...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / HC-EVO-D15-BWS-PLR-BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.