

INDUSTRIAL COMPONENT DATA

IB IL 24 DI 2-PAC/10 2897334 PHOENIX CONTACT Inline, digital Input, digital Inputs: 2, 24 V DC, 4-conductor,...

Brand: PHOENIX CONTACT | Manufacturer Part Number: IB IL 24 DI 2-PAC/10



Manufacturer	PHOENIX CONTACT
MPN / Reference	IB IL 24 DI 2-PAC/10
Catalog number	2897334
Category	Fieldbus, decentr. periphery - digital I/O module
Minimum order	10 Pcs
Document ID	EO-5D56B4F683
Generated	2026-08-03

Product Overview

Inline, digital Input, digital Inputs: 2, 24 V DC, 4-conductor, transmission Speed in the local bus 500 kBit/s, protection Index IP20, including Inline connector and surface labeling

Inline, Digital input module, Digital inputs: 2, 24 VDC, connection technology: 4 conductors, transmission speed on the local bus:500 kBit/s, protection index: IP20, incl. Inline connector and marking surface

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > I/O

Additional Product Information

Commercial data

Order key 2897334

Packaging unit 10 pcs

Sell key DRI131 -

Minimum Order Quantity 10 pcs

Ean 4046356138970

Weight per unit (excluding packaging) 53,000 g

Tariff rate number 85389091

Country of origin DE (Germany)

Observation

Restriction of Use EMC: Class A product, see manufacturer's declaration in the download center

Environmental Product Compliance

China RoHS Time slot for intended use: unlimited = EFUP-e

No hazardous substances above thresholds

Classifications

eCl@ss 4.027250302eCl@ss 4.127250302eCl@ss 5.027250302eCl@ss 5.127242600eCl@ss 6.027242600eCl@ss
7.027242604eCl@ss 8.027242604eCl@ss 9.027242604

ETIM 2.0EC001430ETIM 3.0EC001599ETIM 4.0EC001599ETIM 5.0EC001599ETIM 6.0EC001599

UNSPSC 6.0143172015UNSPSC 7.090143201404UNSPSC 1143172015UNSPSC 12.0143201404UNSPSC
13.232151602

ETIM for 2897334 PLC's (EC001599)

Feature Name

Feature Value

Voltage type (supply voltage) (EF002991)

DC

Number of digital inputs (EF001992)

2

Number of digital outputs (EF001993)

0

Digital inputs configurable (EF008516)

No

Digital outputs configurable (EF008520)

No

Permitted voltage at input (EF007554)

-3 V

Type of voltage (input voltage) (EF003033)

DC

Type of digital output (EF003601)

None

Short-circuit protection, outputs available (EF003203)

No

Number of HW-interfaces industrial Ethernet (EF003020)

0

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)

0

Number o...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / IB IL 24 DI 2-PAC/10 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.