

INDUSTRIAL COMPONENT DATA

ICS20-F22U-7035 1053051 PHOENIX CONTACT Connection plate ICS20-F22U-7035 1053051

Brand: PHOENIX CONTACT | Manufacturer Part Number: ICS20-F22U-7035



Manufacturer	PHOENIX CONTACT
MPN / Reference	ICS20-F22U-7035
Catalog number	1053051
Category	Extruded profile modular housing
Minimum order	50 Pcs
Document ID	EO-F1099CDC0E
Generated	2026-08-05

Product Overview

Connection plate - ICS20-F22U-7035 - 1053051

Rail box, ICS plug, with USB open section, width: 20 mm, height: 7.25 mm, depth: 22.4 mm, colour: light grey (7035)

DIN Rail Enclosures, ICS Filler, with USB Functional Opening, Width: 20 mm, Height: 7.25 mm, Depth: 22.4 mm, Colour: Light Grey (similar to RAL 7035)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

ICS-Filler, with USB function cutout, width: 20 mm, color: light gray (7035)

Key Commercial Data

Orderkey 1053051

Packing unit 10 pc

Minimum order quantity 50 pc

GTIN 4055626676562

Weight per Piece (excluding packing) 1.280 g

Custom tariff number 85389099

Country of origin DE (Germany)

Item properties

Brief article description Connection plate

Type ICS20-F22U-7035

Order No. 1053051

Housing type ICS-Filler

Type with USB function cutout

Dimensions

Width [w] 20 mm

Height [h] 7 mm

Depth [d] 22.5 mm

Material data

Color (RAL) light gray (7035)

Flammability rating according to UL 94 V0

Housing material PA 6.6

Packaging information

Pieces per package 10

Denomination packing units Pcs.

Standards and regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 5.1 27180506

eCl@ss 6.0 27180800

eCl@ss 7.0 27182702

eCl@ss 8.0 27182702

eCl@ss 9.0 27182702

ETIM

ETIM 5.0 EC001031

ETIM 6.0 EC001031

ETIM 7.0 EC001031

ETIM for 1053051 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Material (EF002169)

Other

Surface finishing (EF006569)

Other

Colour (EF000007)

Grey

RAL-number (EF000...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ICS20-F22U-7035 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.