

## INDUSTRIAL COMPONENT DATA

# VIP-2/SC/FLK14/8P/PLC 2322294 PHOENIX CONTACT

## Interface module

Brand: PHOENIX CONTACT | Manufacturer Part Number: VIP-2/SC/FLK14/8P/PLC



|                 |                       |
|-----------------|-----------------------|
| Manufacturer    | PHOENIX CONTACT       |
| MPN / Reference | VIP-2/SC/FLK14/8P/PLC |
| Catalog number  | 2322294               |
| Category        | Interface module      |
| Minimum order   | 1 Pcs                 |
| Document ID     | EO-15DB7BD2F3         |
| Generated       | 2026-07-29            |

### Product Overview

Interface module

VARIOFACE interconnect module, for 8 channels with an additional terminal block for each signal, common positive potential

VARIOFACE interface module, for 8 channels, each with an additional terminal block per signal for a common plus potential

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

|              |                                             |
|--------------|---------------------------------------------|
| Catalog path | PHOENIX CONTACT > INTERFACE Components (IF) |
|--------------|---------------------------------------------|

### Additional Product Information

Technical dataProduct propertiesProduct type Interface module

Product family VARIOFACE Professional

Number of positions 14

No. of channels 8

Data management status

Article revision 03

Insulation characteristics

Overvoltage category II

Pollution degree 2

Electrical propertiesMax. permissible operating voltage 25 V AC  
60 V DC

Max. current carrying capacity per branch 1 A

Max. total current of voltage supply 3 A (per byte)

Rated surge voltage 0.6 kV

Supported controller SIEMENS S7-1500

Suitable I/O card 6ES7521-1BH00-0AB0

6ES7521-1BH10-0AA0

6ES7521-1BH50-0AA0

6ES7521-1BL00-0AB0

6ES7521-1BL10-0AA0

6ES7521-1BP00-0AA0 (Sinking mode)

6ES7522-1BH00-0AB0

6ES7522-1BH01-0AB0

6ES7522-1BL00-0AB0

6ES7522-1BL01-0AB0

6ES7522-1BL10-0AA0

6ES7522-1BP00-0AA0

6ES7522-1BP50-0AA0

6ES7523-1BL00-0AA0

6ES7523-1BP50-0AA0 (DI32 (Sinking mode)/DQ32)

Supported controller ABB S800 I/O

Suitable I/O card DI810

DI811

DI818

DI830

DI831

DI840

DO814

DO818

Supported controller ALLEN-BRADLEY ControlLogix

Suitable I/O card 1756-IB32

1756-OB32

1756-IN16

1756-IB16

1756-IC16

1756-OB16E

Supported controller GE-FANUC RX3i

Suitable I/O card IC694MDL754

IC694MDL660

Supported controller HONEYWELL Experion PKS C200

Suitable I/O card TC-IDD 321

TC-ODD 321

Supported controller MITSUBISHI MELSEC L

Suitable I/O card LX41C4

LX42C4

LY41NT1P

LY42NT1P

LY41PT1P

LY42PT1P

Supported controller MITSUBISHI MELSEC Q

Suitable I/O card QX81

QY81P

QX41

QX41-S1

QX42

QX42-S1

QX71

QX72

QY41P

QY42P

QY71

QH42P

QX82

QX82-S1

QY82P

Supported contro...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VIP-2/SC/FLK14/8P/PLC with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.