


INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 128 WEB3 AD 2701147 PHOENIX CONTACT Software

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 128 WEB3 AD



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 128 WEB3 AD
Catalog number	2701147
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-61420E4CE6
Generated	2026-07-28

Product Overview

Software

Runtime license for Visu+ including 3 WebClients and the alarm dispatcher function with a limitation of I/O data and variables in scripting to 128 bytes. In addition, 2 direct driver connections are possible.

Runtime license for Visu+ including 3 web clients and alarm dispatcher function where the I/O data and variables in the scripting are limited to 128 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)
--------------	--

Additional Product Information

Technical dataProduct propertiesProduct type Visualization

System propertiesIntended use for the software Visualization

License information

Type of license Runtime license

Functionality

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Web client capability

Integrated function Online configuration

Password protection

Language selection
Alarm management
Web client
Number of I/O nodes 128
Number of clients 3
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows® 11
Windows® 10
Windows® 8.1
Windows® 8
Windows® 7
Windows® Embedded Standard 7
Windows® Server 2019
Windows® Server 2016
Windows® Server 2012 R2
Windows® Server 2012
Windows® Server 2008 R2
Windows® Server 2008
Windows® Server 2003
System requirements for runtime environment
Operating system Windows® 10
Windows® 8.1
Windows® 8
Windows® 7
Windows® Embedded Standard 7
Windows® XP Embedded
Windows® Server 2019
Windows® Server 2016
Windows® Server 2012 R2
Windows® Server 2012
Windows® Server 2008 R2
Windows® Server 2008
Windows...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 128 WEB3 AD with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.