


**INDUSTRIAL COMPONENT DATA**

# ME 22,5 OT-3MSTBO BK 2901233 PHOENIX CONTACT Upper part of housing

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME 22,5 OT-3MSTBO BK



|                 |                                  |
|-----------------|----------------------------------|
| Manufacturer    | PHOENIX CONTACT                  |
| MPN / Reference | ME 22,5 OT-3MSTBO BK             |
| Catalog number  | 2901233                          |
| Category        | Extruded profile modular housing |
| Minimum order   | 250 Pcs                          |
| Document ID     | EO-EC630175AF                    |
| Generated       | 2026-08-05                       |

## Product Overview

Upper part of housing

Rail housing, Top of the connector housing with base housing, width: 22.6 mm, height: 102 mm, depth: 60.15 mm, color: black (9005)

DIN rail box, Top of the housing for connectors with base housing, width: 22.6 mm, height: 102 mm, depth: 60.15 mm, color: black (Similar RAL 9005)

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Housing (HS)

## Additional Product Information

Key Commercial Data

Orderkey 2901233

Packing unit 10 pc

Minimum order quantity 250 pc

Note Made to Order (non-returnable)

GTIN 4046356133111

Weight per Piece (excluding packing) 13.400 g

Custom tariff number 85369010

Country of origin DE (Germany)

General

Housing type Upper part

Housing material Polyamide

Color (RAL) black (9005)

Ambient conditions

Ambient temperature (operation) -40 °C ... 105 °C

Dimensions

Height 51.5 mm

Width 22.5 mm

Depth 105 mm

Technical data

Number of positions 24

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss 6.027180800eCl@ss  
7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 2.0EC001031ETIM 3.0EC001031ETIM 4.0EC001031ETIM 5.0EC001031ETIM 6.0EC001031

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC  
13.231261501

ETIM for 2901233 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Closed

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

Colour (EF000007)

Black

RAL-number (EF000116)

9005

Width (EF000008)

22.6 mm

Height (EF000040)

102 mm

Depth....

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME 22,5 OT-3MSTBO BK with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.