

INDUSTRIAL COMPONENT DATA

ME MAX 12,5 DKL TRANS 1050812 PHOENIX CONTACT DIN rail housing, Cover

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 12,5 DKL TRANS



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 12,5 DKL TRANS
Catalog number	1050812
Category	Extruded profile modular housing
Minimum order	500 Pcs
Document ID	EO-A34C517870
Generated	2026-08-05

Product Overview

DIN rail housing, Cover

Rail box, Lid, width: 12.6 mm, height: 75.36 mm, depth: 5.45 mm, color: transparent

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Housing (HS)**

Additional Product Information

Key Commercial Data

Orderkey 1050812

Packing unit 1

GTIN 4055626670409

Custom tariff number 85389099

Item properties

PCB data

Standards and regulations

Material data

Packaging information

Classifications

Item properties

Brief article description Cover

Type ME MAX 12,5 DKL TRANS

Order No. 1050812

Housing type DIN rail housing

Housing series ME-MAX

Type Cover

[Back to top](#)Material data

Color (RAL) transparent

Flammability rating according to UL 94 V0

Housing material Polyamide

[Back to top](#)PCB data

Type of PCB mount Latching

[Back to top](#)Packaging information

Pieces per package 100

Denomination packing units Pcs.

[Back to top](#)Standards and regulations

Flammability rating according to UL 94 V0

[Back to top](#)Classifications

eCl@ss

eCl@ss 8.0 27182702

eCl@ss 9.0 27182702

[Back to top](#)ETIM

ETIM 5.0 EC001031

ETIM 6.0 EC001031

ETIM 7.0 EC001031

[Back to top](#)

ETIM for 1050812 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Closed

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Material (EF002169)

Other

Surface finishing (EF006569)

Other

Colour (EF000007)

Other

Width (EF000008)

12.6 mm

Height (EF000040)

75.36 mm

Depth (EF000049)

5.45 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 12,5 DKL TRANS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.