

INDUSTRIAL COMPONENT DATA

ME MAX 17,5 G 3-3 BU 2200051 PHOENIX CONTACT DIN rail housing, Tall design, without vents, width: 17.5 mm, C..

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 17,5 G 3-3 BU



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 17,5 G 3-3 BU
Catalog number	2200051
Category	Electronic enclosure
Minimum order	250 Pcs
Document ID	EO-4A5DB4A08A
Generated	2026-08-05

Product Overview

DIN rail housing, Tall design, without vents, width: 17.5 mm, Cross connection: DIN rail bus connector, color: blue (5015), number of positions cross connector: 5

Rail housing, Full housing with metal pin, high design, no vent slits, width: 17.6 mm, height: 99 mm, depth: 113.65 mm, color: blue (5015), cross bridge: Rail bus connector (optional), number of poles cross connector: 5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

DIN rail housing, Tall design, without vents, width: 17.5 mm, Cross connection: DIN rail bus connector, color: blue (5015), number of positions cross connector: 5

Key Commercial Data

Orderkey 2200051

Packing unit 1

GTIN 4046356500623

Custom tariff number 85389099

General

Housing type DIN rail housing

Housing material Polyamide

Color (RAL) blue (5015)

Ambient conditions

Ambient temperature (storage/transport) -40 °C ... 55 °C

Ambient temperature (assembly) -5 °C ... 100 °C

Ambient temperature (operation) -40 °C ... 105 °C (depending on power dissipation)

Dimensions

Width 17.5 mm

Height 99 mm

Depth 114.5 mm

Technical data

Number of positions 12

24

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0 27180401

eCl@ss 4.1 27180401

eCl@ss 5.0 27180506

eCl@ss 5.1 27180500

eCl@ss 6.0 27180800

eCl@ss 7.0 27182702

eCl@ss 8.0 27182702

eCl@ss 9.0 27182702

ETIM

ETIM 2.0 EC001031

ETIM 3.0 EC001031

ETIM 4.0 EC001031

ETIM 5.0 EC001031

ETIM 6.0 EC001031

ETIM 7.0 EC001031

UNSPSC

UNSPSC 6.01 31261501

UNSPSC 7.0901 31261501

UNSPSC 11 31261501

UNSPSC 12.01 31261501

UNSPSC 13.2 31261501

ETIM for 2200051 Cabinets and enclosures (EC001031)

Feature Name

Feature Value

Width (EF000008)

17.6 mm

Height (EF000040)

99 mm

Depth (EF000049)

113.65 mm

Material (EF002169)

Other

Operating temperature (EF002393)

-40 °C

With integrated PCB-mounting connection system (EF003087)

No

Suitabl...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 17,5 G 3-3 BU with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.