

INDUSTRIAL COMPONENT DATA

ME MAX 17,5 G 3-3 YE 2200052 PHOENIX CONTACT DIN rail housing, Tall design, without vents, width: 17.5 mm, C..

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 17,5 G 3-3 YE



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 17,5 G 3-3 YE
Catalog number	2200052
Category	Electronic enclosure
Minimum order	250 Pcs
Document ID	EO-DCE000EFA1
Generated	2026-08-04

Product Overview

DIN rail housing, Tall design, without vents, width: 17.5 mm, Cross connection: DIN rail bus connector, color: yellow (1018), number of positions cross connector: 5

Rail housing, Full housing with metal pin, high design, no vent slits, width: 17.6 mm, height: 99 mm, depth: 113.65 mm, color: yellow (1018), cross bridge: Rail bus connector (optional), number of cross connector poles: 5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Housing (HS)

Additional Product Information

DIN rail housing, Tall design, without vents, width: 17.5 mm, Cross connection: DIN rail bus connector, color: yellow (1018), number of positions cross connector: 5

Key Commercial Data

Orderkey 2200052

Packing unit 1

GTIN 4046356500630

Custom tariff number 85389099

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCI@ss

eCI@ss 4.0 27180401

eCI@ss 4.1 27180401

eCI@ss 5.0 27180506

eCI@ss 5.1 27180500

eCI@ss 6.0 27180800

eCI@ss 7.0 27182702

eCI@ss 8.0 27182702

eCI@ss 9.0 27182702

ETIM

ETIM 2.0 EC001031

ETIM 3.0 EC001031

ETIM 4.0 EC001031

ETIM 5.0 EC001031

ETIM 6.0 EC001031

ETIM 7.0 EC001031

UNSPSC

UNSPSC 6.01 31261501

UNSPSC 7.0901 31261501

UNSPSC 11 31261501

UNSPSC 12.01 31261501

UNSPSC 13.2 31261501

ETIM for 2200052 Cabinets and enclosures (EC001031)

Feature Name

Feature Value

Width (EF000008)

17.6 mm

Height (EF000040)

99 mm

Depth (EF000049)

113.65 mm

Material (EF002169)

Other

Operating temperature (EF002393)

-40 °C

With integrated PCB-mounting connection system (EF003087)

No

Suitable for rail mounting (EF003972)

Yes

Wall mounting possible (EF003973)

No

With ventilation slots (EF007346)

No

Degree of protection (IP) (EF005474)

IP20

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 17,5 G 3-3 YE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.