

INDUSTRIAL COMPONENT DATA

ME MAX 22,5 3-3 BU 2201117 PHOENIX CONTACT DIN rail housing, Tall design, with vents, width: 22.5 mm, Cross ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: ME MAX 22,5 3-3 BU



Manufacturer	PHOENIX CONTACT
MPN / Reference	ME MAX 22,5 3-3 BU
Catalog number	2201117
Category	Electronic enclosure
Minimum order	200 Pcs
Document ID	EO-653FA955CE
Generated	2026-08-05

Product Overview

DIN rail housing, Tall design, with vents, width: 22.5 mm, Cross connection: DIN rail bus connector, color: blue (5015), number of positions cross connector: 5

Rail box, Full housing with metal pin, high design, with ventilation slits, width: 22.6 mm, height: 99 mm, depth: 113.65 mm, color: blue (5015), cross bridge: Bus connector for rail (optional), number of poles cross connector: 5

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

DIN rail housing, Tall design, with vents, width: 22.5 mm, Cross connection: DIN rail bus connector, color: blue (5015), number of positions cross connector: 5

Key Commercial Data

Orderkey 2201117

Packing unit 1

GTIN 4046356725873

Custom tariff number 85389099

General

Housing type DIN rail housing

Housing material Polyamide

Color (RAL) blue (5015)

Ambient conditions

Ambient temperature (storage/transport) -40 °C ... 55 °C

Ambient temperature (assembly) -5 °C ... 100 °C

Ambient temperature (operation) -40 °C ... 105 °C (depending on power dissipation)

Dimensions

Width 22.5 mm

Height 99 mm

Depth 114.5 mm

Technical data

Number of positions 18

30

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0 27180401

eCl@ss 4.1 27180401

eCl@ss 5.0 27180401

eCl@ss 5.1 27180400

eCl@ss 6.0 27180800

eCl@ss 7.0 27182702

eCl@ss 8.0 27182702

eCl@ss 9.0 27182702

ETIM

ETIM 2.0 EC001031

ETIM 3.0 EC001031

ETIM 4.0 EC002643

ETIM 5.0 EC001031

ETIM 6.0 EC001031

ETIM 7.0 EC001031

UNSPSC

UNSPSC 6.01 31261501

UNSPSC 7.0901 31261501

UNSPSC 11 31261501

UNSPSC 12.01 31261501

UNSPSC 13.2 31261501

ETIM for 2201117 Cabinets and enclosures (EC001031)

Feature Name

Feature Value

Width (EF000008)

22.6 mm

Height (EF000040)

99 mm

Depth (EF000049)

113.65 mm

Material (EF002169)

Other

Operating temperature (EF002393)

-40 °C

Wit...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ME MAX 22,5 3-3 BU with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.