

INDUSTRIAL COMPONENT DATA

MINI MCR-2-T-REL 2905632 PHOENIX CONTACT Switch limit value of temperature setting universal with relay outp..

Brand: PHOENIX CONTACT | Manufacturer Part Number: MINI MCR-2-T-REL



Manufacturer	PHOENIX CONTACT
MPN / Reference	MINI MCR-2-T-REL
Catalog number	2905632
Category	Isolation amplifier
Minimum order	1 Pcs
Document ID	EO-EF59B19556
Generated	2026-08-02

Product Overview

Switch limit value of temperature setting universal with relay output closure for the connection of rtd and thermocouples 2, 3 and 4 drivers. Configurable using the DIP switch or the software, connection technology screw

Universal setting temperature limit value switch with shut-off relay output for connection of 2, 3 and 4 conductor heat resistances and thermocouples. Configurable via DIP switch or software, screw connection technology

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

ETIM for 2905632 Sensors (EC002653)

Feature Name

Feature Value

Rated supply voltage DC (EF007078)

9.6 V

Number of input ranges -60 mV ... +60 mV (EF006927)

0

Number of input ranges -100 mV ... +100 mV (EF006912)

0

Number of input ranges -300 mV ... +300 mV (EF006920)

0

Number of input ranges -500 mV ... +500 mV (EF006926)

0
Number of input ranges -1 V ... +1 V (EF006906)

0
Number of input ranges -2 V ... +2 V (EF006913)

0
Number of input ranges -2.5 V ... +2.5 V (EF006915)

0
Number of input ranges -5 V ... +5 V (EF006923)

0
Number of input ranges -10 V ... +10 V (EF006909)

0
Number of input ranges -20 V ... +20 V (EF006917)

0
Number of input ranges 0 mV ... 60 mV (EF006905)

0
Number of input ranges 0 mV ... 100 mV (EF006893)

0
Number of input ranges 0 mV ... 200 mV (EF006898)

0
Number of input ranges 0 mV ... 300 mV (EF006901)

0
Number of input ranges 0 mV ... 500 mV (EF006904)

0
Number of input ranges 0 V ... 1 V (EF006890)

0
Number of input ranges 0 V ... 2 V (EF006894)

0
Number of input ranges 0 V ... 2.5 V (EF006895)

0
Number of input ranges 0 V ... 5 V (EF006903)

0
Number of input ranges 0 V ... 10 V (EF006892)

0
Number of input ranges 0 V ... 20 V (EF006897)

0
Number of input ranges 0 V ... 24 V (EF006899)

0
Number of input ranges 0 V ... 30 V (EF006900)

0
Number of input ranges 1 V ... 5 V (EF006907)

0
Number of input ranges 2 V ... 10 V (EF006914)

0
Number of input ranges +5 V ... -5 V (EF006889)

0
Number of input ranges +10 V ... -10 V (EF006888)

0

Number of input r...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / MINI MCR-2-T-REL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.