

**INDUSTRIAL COMPONENT DATA**

# UM-PRO 108 COVER-L BK 2200155 PHOENIX CONTACT Side element

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM-PRO 108 COVER-L BK



|                 |                                  |
|-----------------|----------------------------------|
| Manufacturer    | PHOENIX CONTACT                  |
| MPN / Reference | UM-PRO 108 COVER-L BK            |
| Catalog number  | 2200155                          |
| Category        | Extruded profile modular housing |
| Minimum order   | 10 Pcs                           |
| Document ID     | EO-C808FF5893                    |
| Generated       | 2026-08-01                       |

## Product Overview

Side element

Side element (left) with mounting foot for rail for UM-PRO profiles with a width of 108 mm for printed circuit board

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                |
|--------------|--------------------------------|
| Catalog path | PHOENIX CONTACT > Housing (HS) |
|--------------|--------------------------------|

## Additional Product Information

Key Commercial Data

Orderkey 2200155

Packing unit 10 pc

Minimum order quantity 10 pc

Catalog page Page 749 (C-1-2013)

GTIN 4046356547376

Weight per Piece (excluding packing) 16.620 g

Custom tariff number 39269097

Country of origin DE (Germany)

General

Housing type Press-drawn section housings

Housing material Polyamide

Color (RAL) black

Ambient conditions

Ambient temperature (operation) -40 °C ... 105 °C (depending on power dissipation)

Dimensions

Length 15.5 mm

Height 40 mm

Width 127.8 mm

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 10.0.127182701eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss  
6.027182000eCl@ss 7.027182701eCl@ss 8.027182701eCl@ss 9.027182701

ETIM 2.0EC001031ETIM 3.0EC001031ETIM 4.0EC000721ETIM 5.0EC002779ETIM 6.0EC002779

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC  
13.231261501

ETIM for 2200155 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

Colour (EF000007)

Black

RAL-number (EF000116)

9005

Width (EF000008)

19.5 mm

Height (E...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM-PRO 108 COVER-L BK with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.