

INDUSTRIAL COMPONENT DATA

UCS GD 9005 2203401 PHOENIX CONTACT Mounting set

Brand: PHOENIX CONTACT | Manufacturer Part Number: UCS GD 9005



Manufacturer	PHOENIX CONTACT
MPN / Reference	UCS GD 9005
Catalog number	2203401
Category	Extruded profile modular housing
Minimum order	1 Pcs
Document ID	EO-3F2E6F0ED6
Generated	2026-08-03

Product Overview

Mounting set

Adhesive threaded mandrel for fixing the printed circuit board, material: polyamide; Contents: 4 units with screws, 2.5 x 8

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2203401

Packing unit 1 pc

GTIN 4055626461694

Weight per Piece (excluding packing) 8.700 g

Custom tariff number 39269097

Country of origin DE (Germany)

Item properties

Type UCS GD 9005

Order No. 2203401

Housing type Universal housings

Material specifications

Color (RAL) black (9005)

Insulating material PA

CTI according to IEC 60112 0

Flammability rating according to UL 94 V0

Housing material PA

PCB data

Number of PCB holders 1

PCB thickness 0.8 mm ... 3 mm

Type of PCB mount Bolt mounting

Note on mounting

Tightening torque / rotational speed Mounting the PCB: 0.4 Nm-0.5 Nm / 500 rpm-1000 rpm

Drive form screw head Mounting the PCB: Slotted Torx®(T7)

Packaging information

Pieces per package 1

Denomination packing units Pcs.

Standards and regulations

Flammability rating according to UL 94 V0

Classifications

eCl@ss 5.127180506eCl@ss 6.027180800eCl@ss 7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 5.0EC001031ETIM 6.0EC001031

ETIM for 2203401 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Material (EF002169)

Other

Surface finishing (EF006569)

Other

Colour (EF000007)

Black

RAL-number (EF000116)

9005

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UCS GD 9005 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.