

## INDUSTRIAL COMPONENT DATA

# NBC-M12FS/5,0-971/R4AQ VR 1621316 PHOENIX CONTACT Cable VARAN, ready-made, shielded, flexible, black, female..

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-M12FS/5,0-971/R4AQ VR



|                 |                            |
|-----------------|----------------------------|
| Manufacturer    | PHOENIX CONTACT            |
| MPN / Reference | NBC-M12FS/5,0-971/R4AQ VR  |
| Catalog number  | 1621316                    |
| Category        | Sensor-actuator patch cord |
| Minimum order   | 10 Pcs                     |
| Document ID     | EO-29E91DE563              |
| Generated       | 2026-08-04                 |

## Product Overview

Cable VARAN, ready-made, shielded, flexible, black, female connector M12, straight, SPEEDCON, 6-pole on RJ45 connector/IP20, QUICKON, length: 5 m

Ready-made VARAN cable, shielded, flexible, black, M12 female connector, straight, SPEEDCON, 6 pin in RJ45/IP20 connector, QUICKON, length: 5 m

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                 |
|--------------|-------------------------------------------------|
| Catalog path | PHOENIX CONTACT > Field Device Connectors (FDC) |
|--------------|-------------------------------------------------|

## Additional Product Information

VARAN cable mounted, shielded, flexible, black, M12 socket, straight, SPEEDCON, 6-pin on RJ45/IP20 connector, QUICKON, length: 5 m

Business data

Order Code 1621316

Packaging quantity (VPE) 1 Pcs

Minimum Order Quantity 10 Items

GTIN 4055626003016

Weight per unit (excluding packaging) 378,000 GRM

Customs Duty Number 85444290

Country of origin PL (Poland)

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

Classifications

eCI@ss

eCI@ss 4.0 27060307

eCI@ss 4.1 27060307

eCI@ss 5.0 27061801

eCI@ss 5.1 19030300

eCI@ss 6.0 27061800

eCI@ss 7.0 27060308

eCI@ss 8.0 27060308

eCI@ss 9.0 27060308

ETIM

ETIM 2.0 EC000830

ETIM 3.0 EC000830

ETIM 4.0 EC000830

ETIM 5.0 EC002599

ETIM 7.0 EC001262

UNSPSC

UNSPSC 6.01 26121616

UNSPSC 7.0901 26121616

UNSPSC 11 26121604

UNSPSC 12.01 26121616

UNSPSC 13.2 26121604

ETIM for 1621316 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

6

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Female (bus)

Positioning cable feed, box-sided (EF005927)

Straight

Cable length (EF000536)

5 m

Material of cable sheath (EF004136)

Polyvinyl chloride (PVC)

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Black

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Vulcanize (EF004115)

No

Material contact body...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-M12FS/5,0-971/R4AQ VR with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.