

INDUSTRIAL COMPONENT DATA

NBC-M12MRD/0,72-93E CV 1003406 PHOENIX CONTACT

Network cable

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-M12MRD/0,72-93E CV



Manufacturer	PHOENIX CONTACT
MPN / Reference	NBC-M12MRD/0,72-93E CV
Catalog number	1003406
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-6A42925D2F
Generated	2026-08-04

Product Overview

Network cable

Network cable, CAT5 Ethernet, 4-pole, shielded, M12 straight connector, to free cable end, cable length: 0.71 m, Customer variant

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Key Commercial Data

Orderkey 1003406

Packing unit 1

GTIN 4055626476346

Custom tariff number 85444290

Dimensions

Length of cable 0.71 m

General data

Rated voltage 48 V AC

60 V DC

Number of positions 4

Signal type/category Ethernet CAT5

Characteristics head 1

Head type Plug straight M12

No. of positions (pin connector pattern) 4

Characteristics head 2

Head type free cable end

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 7.027060308eCl@ss 9.027060308

ETIM for 1003406 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

4

Type of electrical connection, field-sided (EF005525)

Other

Positioning cable feed, field-sided (EF005928)

Other

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Straight

Cable length (EF000536)

0.71 m

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Rated voltage (EF000228)

48 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-M12MRD/0,72-93E CV with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.