

INDUSTRIAL COMPONENT DATA

NBC-MS/ 3,0-94B/R4AC 1237NC 1413217 PHOENIX CONTACT

Network cable NBC-MS/ 3,0-94B/R4AC 1237NC 1413217

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-MS/ 3,0-94B/R4AC 1237NC



Manufacturer	PHOENIX CONTACT
MPN / Reference	NBC-MS/ 3,0-94B/R4AC 1237NC
Catalog number	1413217
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-7E331EE436
Generated	2026-08-03

Product Overview

Network cable - NBC-MS/ 3,0-94B/R4AC 1237NC - 1413217

Network cable, CAT5 Ethernet (1 GBit/s), 8-pole, halogen-free PUR, water blue RAL 5021, shielded, M12 SPEEDCON straight connector, coding: A / IP67, a RJ45 / IP20 straight connector, cable length: 3 m, Special connection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Network cable

Key Commercial Data

Orderkey 1413217

Packing unit 1

GTIN 4046356994392

Custom tariff number 85444290

General data

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCI@ss

eCI@ss 5.1 27061801

eCI@ss 6.0 27279200

eCI@ss 7.0 27279218

eCI@ss 8.0 27279218

eCI@ss 9.0 27060311

ETIM

ETIM 4.0 EC000830

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1413217 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

8

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Straight

Cable length (EF000536)

3 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Material of contact surface (EF004020)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-20 °C

Rated current I_n (EF008250)

1 A

Rated....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-MS/ 3,0-94B/R4AC 1237NC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.