

INDUSTRIAL COMPONENT DATA

NBC-MSX/ 2,0-94S/R4AC SCO 1116453 PHOENIX CONTACT

Network cable, Ethernet, 8-position, shielded, cable lengt..

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-MSX/ 2,0-94S/R4AC SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	NBC-MSX/ 2,0-94S/R4AC SCO
Catalog number	1116453
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-A03209CD37
Generated	2026-08-02

Product Overview

Network cable, Ethernet, 8-position, shielded, cable length: 2 m

Network cable, Ethernet, 8-pole, shielded, Straight M12 connector, encoding: X, to Straight RJ45 / IP20 connector, cable length: 2 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Key Commercial Data

Orderkey 1116453

Packing unit 1

GTIN 4063151043780

Custom tariff number 85444290

Dimensions

General data

Classifications

Ambient conditions

Environmental Product Compliance

Dimensions

Length of cable 2 m

Back to topAmbient conditions

Degree of protection IP65

IP67

IP20

[Back to top](#)General data

Rated current at 40°C 0.5 A

Rated voltage 48 V AC

60 V DC

Number of positions 8

Signal type/category Ethernet

[Back to top](#)Environmental Product Compliance

REACH SVHC Lead 7439-92-1

[Back to top](#)Classifications

eCI@ss

eCI@ss 9.0 27060308

[Back to top](#)

ETIM for 1116453 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

8

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Straight

Cable length (EF000536)

2 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Material of contact surface (EF004020)

Other

Rated current In (EF008250)

0.5 A

Rated voltage (EF000228)

48 V

Degree of protection (IP) (EF005474)

IP65

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-MSX/ 2,0-94S/R4AC SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.