

INDUSTRIAL COMPONENT DATA

NBC-R4AC/2,0-94B/R4RC 1414428 PHOENIX CONTACT

Network cable NBC-R4AC/2,0-94B/R4RC 1414428

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-R4AC/2,0-94B/R4RC



Manufacturer	PHOENIX CONTACT
MPN / Reference	NBC-R4AC/2,0-94B/R4RC
Catalog number	1414428
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-D6F40DA1FA
Generated	2026-08-06

Product Overview

Network cable - NBC-R4AC/2,0-94B/R4RC - 1414428

Network cable, protection rating: IP67/IP20, cable length: 2 m, number of poles: 8, 1 GBit/s, CAT5, cable output: straight, Ethernet

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Field Device Connectors (FDC)

Additional Product Information

Network cable, degree of protection: IP67/IP20, number of positions: 8, 1 Gbps, CAT5, cable outlet: straight

Key Commercial Data

Orderkey 1414428

Packing unit 1

GTIN 4055626058146

Custom tariff number 85444210

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCI@ss

eCI@ss 5.1 19030300

eCI@ss 6.0 27061800

eCI@ss 7.0 27060308

eCI@ss 8.0 27060308

eCI@ss 9.0 27060308

ETIM

ETIM 5.0 EC002599

ETIM 7.0 EC001262

UNSPSC

UNSPSC 13.2 26121604

ETIM for 1414428 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

8

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

Other

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Straight

Cable length (EF000536)

2 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

No

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-20 °C

Degree of protection (IP) (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-R4AC/2,0-94B/R4RC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.