

INDUSTRIAL COMPONENT DATA

UM-PRO LID-92 BK 2200172 PHOENIX CONTACT Side element

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM-PRO LID-92 BK



Manufacturer	PHOENIX CONTACT
MPN / Reference	UM-PRO LID-92 BK
Catalog number	2200172
Category	Extruded profile modular housing
Minimum order	10 Pcs
Document ID	EO-409BCDFB34
Generated	2026-08-02

Product Overview

Side element

Extruded profile boxes, Locking, Side element for U-profile cover, colour: black (9005), width: 10.35 mm, height: 97.51 mm, depth: 39.7 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2200172

Packing unit 10 pc

Minimum order quantity 10 pc

Catalog page Page 748 (C-1-2013)

GTIN 4046356547628

Weight per Piece (excluding packing) 11.190 g

Custom tariff number 39269097

Country of origin PL (Poland)

General

Housing type Press-drawn section housings

Housing material Polyamide

Color (RAL) black

Ambient conditions

Ambient temperature (operation) -40 °C ... 100 °C (depending on power dissipation)

Dimensions

Length 95 mm

Height 36.7 mm

Width 9.95 mm

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 10.0.127182701eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss

6.027400500eCl@ss 7.027182701eCl@ss 8.027182701eCl@ss 9.027182701

ETIM 3.0EC001031ETIM 4.0EC000482ETIM 5.0EC002779ETIM 6.0EC002779

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC

13.231261501

ETIM for 2200172 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

Colour (EF000007)

Black

RAL-number (EF000116)

9005

Width (EF000008)

10.35 mm

Height (EF000040)

97.51 mm...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM-PRO LID-92 BK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.