

**INDUSTRIAL COMPONENT DATA**

# VS-A-F-IP67 1653744 PHOENIX CONTACT Panel mounting frames

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-A-F-IP67



|                 |                                                   |
|-----------------|---------------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                                   |
| MPN / Reference | VS-A-F-IP67                                       |
| Catalog number  | 1653744                                           |
| Category        | Accessories/spare parts for industrial connectors |
| Minimum order   | 5 Pcs                                             |
| Document ID     | EO-723C261B9F                                     |
| Generated       | 2026-08-02                                        |

## Product Overview

Panel mounting frames

Recessed frame, IP67, for Freenet system, for circular mounting opening, with gasket, without fixing screws, color: Gray

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Field Device Connectors (FDC)

## Additional Product Information

Key Commercial Data

Orderkey 1653744

Packing unit 5 pc

Minimum order quantity 5 pc

Catalog page Page 355 (C-2-2017)

GTIN 4017918970123

Weight per Piece (excluding packing) 6.410 g

Custom tariff number 85389099

Country of origin DE (Germany)

Mechanical characteristics

Number of slots 1

Insertion/withdrawal cycles &gt;= 1000

Color gray

Degree of protection IP67

Type RJ45, IP67, version 6

Ambient conditions

Ambient temperature (operation) -40 °C ... 80 °C

Material data

Flammability rating according to UL 94 V0

Housing material PA

Material Plastic

Sealing material NBR

Seal material NBR

Depth 27.5 mm

Height 36 mm

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027140816eCl@ss 4.127260701eCl@ss 5.027260701eCl@ss 5.127260700eCl@ss 6.027261200eCl@ss  
7.027440210eCl@ss 8.027440210eCl@ss 9.027440210

ETIM 2.0EC000764ETIM 3.0EC001121ETIM 4.0EC001121ETIM 5.0EC002310ETIM 6.0EC002310

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC  
13.239121421

ETIM for 1653744 Connectors (EC002310)

Feature Name

Feature Value

Material assembly frame (EF007542)

Plastic

With PE-connection (EF005600)

No

Inflammability class of insulation material according to UL94 (EF002521)

V0

Fixing direction (EF012208)

Swivelling

Width (EF000008)

36 mm

Height (EF000040)

36 mm

Depth (EF000049)

27.6 mm

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-A-F-IP67 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.