

INDUSTRIAL COMPONENT DATA

ZAP 100 T 1203262 PHOENIX CONTACT Pneumatic crimping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: ZAP 100 T



Manufacturer	PHOENIX CONTACT
MPN / Reference	ZAP 100 T
Catalog number	1203262
Category	Stripping and crimping machine
Minimum order	1 Pcs
Document ID	EO-1B42C26DA3
Generated	2026-08-02

Product Overview

Pneumatic crimping tool

Pneumatically operated crimping pliers, as a table appliance, for ferrules in accordance with DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross-section of 4 - 10 mm²

Pneumatic table crimping tool, for cable lugs in accordance with DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor section 4 - 10 mm²

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1203262

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 509 (C-3-2017)

GTIN 4017918018153

Weight per Piece (excluding packing) 2,928.400 g

Custom tariff number 84671900

Country of origin DE (Germany)

Dimensions

Length (b) 200 mm

Width (a) 140 mm

Height (c) 70 mm

Stripping length 0 mm

General

Compression trapezoidal

Min. AWG, flexible, multi-strand 8

AWG max., flexible, multi-strand 12

Pressure range 4 bar ... 6 bar

Air consumption per compression 0.2 l

Power consumption 0 W

Weight 1 kg

Min. cross section 4 mm²

Max. cross section 10 mm²

Classifications

eCl@ss 10.0.117130101eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.117130100eCl@ss
6.017130100eCl@ss 7.017130101eCl@ss 8.017130101eCl@ss 9.017130101

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC001186ETIM 5.0EC000168ETIM 6.0EC002778

UNSPSC 6.0127112118UNSPSC 7.090127111518UNSPSC 1123171604UNSPSC 12.0127111518UNSPSC
13.227111518

ETIM for 1203262 Cable cutting and crimping tools (EC002778)

Feature Name

Feature Value

Adjustable conductor cross section (EF008548)

4 mm²

Function (EF000030)

Other

Type of drive (EF001422)

Pneumatic

Strip length (EF006824)

0 mm

Strip length adjustable (EF006222)

No

Width (EF000008)

140 mm

Height (EF000040)

70 mm

Depth (EF000049)

200 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ZAP 100 T with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.