

**INDUSTRIAL COMPONENT DATA**

# QUINT-BAT/24DC/ 3.4AH 2866349 PHOENIX CONTACT Energy storage

Brand: PHOENIX CONTACT | Manufacturer Part Number: QUINT-BAT/24DC/ 3.4AH



|                 |                                                 |
|-----------------|-------------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                                 |
| MPN / Reference | QUINT-BAT/24DC/ 3.4AH                           |
| Catalog number  | 2866349                                         |
| Category        | Battery (lithium) for vehicles and applications |
| Minimum order   | 1 Pcs                                           |
| Document ID     | EO-B820ECD3B4                                   |
| Generated       | 2026-08-01                                      |

## Product Overview

Energy storage

Energy storage, lead AGM, VRLA technology, 24 V DC, 4 Ah. Connection by male terminal.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Power Supplies (PS)

## Additional Product Information

Key Commercial Data

Orderkey 2866349

Packing unit 1 pc

Catalog page Page 303 (C-4-2017)

GTIN 4017918959746

Weight per Piece (excluding packing) 4,501.000 g

Custom tariff number 85072080

Country of origin CN (China)

Dimensions

Width 112 mm

Height 145 mm

Depth 123 mm

Ambient conditions

Degree of protection IP20

Ambient temperature (operation) 0 °C ... 40 °C

Input data

Nominal input voltage 24 V DC

Output data

Nominal output voltage 24 V DC

Output current I<sub>max</sub> 25 A

Connection in parallel Yes, for increasing the buffer period

Connection in series No

Output fuse 1x 25 A

General

IQ technology no

Net weight 3.5 kg

Memory medium battery 3.4 Ah

Degree of protection IP20

Standards and Regulations

Shipbuilding approval DNV GL (EMC A), ABS

Environmental Product Compliance

China RoHS Environmentally Friendly Use Period = 3

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 4.027040603eCl@ss 4.127040603eCl@ss 5.027040603eCl@ss 5.127040600eCl@ss 6.027040600eCl@ss

7.027050403eCl@ss 8.027050403eCl@ss 9.027050403

ETIM 2.0EC000382ETIM 3.0EC000382ETIM 4.0EC000357ETIM 5.0EC000357ETIM 6.0EC000357

UNSPSC 6.0130211510UNSPSC 7.090139121011UNSPSC 1139121011UNSPSC 12.0139121011UNSPSC

13.226111715

ETIM for 2866349 Batteries chargers and power cords (EC000357)

Feature Name

Feature Value

Size indication (EF000363)

Block

Nominal voltage (EF000002)

24 V

Capacity (EF000364)

4000 mAh

Length (EF001438)

123 mm

Height including pole (EF0058...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / QUINT-BAT/24DC/ 3.4AH with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.