

**INDUSTRIAL COMPONENT DATA**

# PSR-M-EF5-SDO4-2A-DO8-PI 1104977 PHOENIX CONTACT

## Safe expansion module with 4 safe outputs (2 A), 4 reset in..

Brand: PHOENIX CONTACT | Manufacturer Part Number: PSR-M-EF5-SDO4-2A-DO8-PI



|                 |                                                  |
|-----------------|--------------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                                  |
| MPN / Reference | PSR-M-EF5-SDO4-2A-DO8-PI                         |
| Catalog number  | 1104977                                          |
| Category        | Device for monitoring of safety-related circuits |
| Minimum order   | 1 Pcs                                            |
| Document ID     | EO-031FCBC856                                    |
| Generated       | 2026-08-04                                       |

### Product Overview

Safe expansion module with 4 safe outputs (2 A), 4 reset inputs, 8 signal outputs, TBUS interface, up to SIL 3, category 4/PL e, plug-in push-in terminal, TBUS connector included

**STRUCTURED PRODUCT DATA**

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Safety

### Additional Product Information

ETIM for 1104977 Relays (EC001449)  
Feature Name  
Feature Value  
Model (EF000010)  
Expansion device  
Suitable for rail mounting (EF003972)  
Yes  
With detachable clamps (EF003340)  
Yes  
Type of electric connection (EF003961)  
Spring clamp connection  
Suitable for monitoring of emergency-stop circuits (EF007268)  
No  
Suitable for monitoring of valves (EF007272)

No  
Suitable for monitoring of optoelectronic protection equipment (EF007269)  
No  
Suitable for monitoring of tactile sensors (EF007271)  
No  
Suitable for monitoring of magnetic switches (EF007266)  
No  
Suitable for monitoring of proximity switches (EF007267)  
No  
Evaluation inputs (EF008245)  
Other  
With start input (EF003342)  
No  
With muting function (EF004057)  
No  
With feedback circuit (EF003343)  
No  
Number of outputs, safety related, undelayed, with contact (EF003344)  
0  
Number of outputs, safety related, delayed, with contact (EF003345)  
0  
Number of outputs, safety related, undelayed, semiconductors (EF003346)  
0  
Number of outputs, safety related, delayed, semiconductors (EF003347)  
0  
Number of outputs, signalling function, undelayed, with contact (EF003348)  
0  
Number of outputs, signalling function, delayed, with contact (EF003349)  
0  
Number of outputs, signalling function, undelayed, semiconductors (EF003350)  
0  
Number of outputs, signalling function, delayed, semiconductors (EF003351)  
0  
Stop category according to IEC 60204 (EF007498)  
Other  
With approval for BG BIA (EF004145)  
No  
With approval according to UL (EF001783)  
No  
Width (EF000008)  
22.61 m...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / PSR-M-EF5-SDO4-2A-DO8-PI with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.